

# Index

Reactor Materials

# Volume 7

Note: The page range for each of the four issues of Vol. 7 is as follows:  
No. 1, pages 1 to 80; No. 2, pages 81 to 148; No. 3, pages 149 to 209;  
and No. 4, pages 211 to 267.

## A

A-286, brazing effects on, 263  
Admiralty metal, corrosion, 121  
Alloy 600, brazing, 263  
Alloys, creep in high-temperature L4, 241  
diffusion in, 195, 247  
explosive forming, 75-8, 261  
Alloys (brazed), corrosion, 50, 52  
oxidation, 51  
Alloys (irradiated), phase transformations, 253  
Alloys (refractory), corrosion, 124  
creep, 125  
engineering properties, 125  
hardness, 139  
melting, 71-2  
powder metallurgy, 71-2  
spot welding, 263  
tensile strength, 139  
Alloys (refractory)(coated), mechanical properties, 181  
preparation, 261  
Alloys (refractory)(irradiated), test results, 191  
Aluminizing, pack-diffusion coating process for, 74  
Aluminum, brazing to Al, 145  
burning, 31-2, 184  
compatibility with Pu, Th, and U, 14  
corrosion, 49, 124-5, 180, 238  
diffusion bonding to Ni and U, 202-3  
elongation during explosive forming, 77  
H and He permeability, 126-7  
He precipitation in, 127  
reaction, with steam, 184, 242-3  
with UN, 100  
solubility in zirconium beryllide, 42  
ThO<sub>2</sub> electrodeposition on, 260  
ultrasonic detection of surface strain, 264  
welding, 204  
wetting of Be, 75  
Aluminum (irradiated), channeling effects, 55  
corrosion, 185  
damage, 253  
damage recovery, 129  
deuteron range, 185-6  
monovacancy-formation energy relation to melting point, 187  
neutron production, 41  
Aluminum (SAP), plastic deformation, 244  
welding, 74  
Aluminum (SAP)(molten), Al<sub>2</sub>O<sub>3</sub> structural changes in, 244

Aluminum alloy (X8001)-boron carbide-uranium dioxide dispersions (Al alloy-clad) (irradiated), damage, 156  
Aluminum alloy (X8001)-boron carbide-uranium octoxide dispersions (Al alloy-clad)(irradiated), damage, 156  
Aluminum alloy (X8001)-boron carbide-uranium trialuminide dispersions (Al alloy-clad)(irradiated), damage, 156  
Aluminum alloy (X8001)-uranium octoxide dispersions, mechanical properties, 156-7  
Aluminum alloys, corrosion, 179-80  
explosive bonding to Cu alloys, 261  
explosive forming, 75  
explosive welding, 262  
H and He permeability, 126-7  
reactions with water, 225-6  
Aluminum alloys (1100), corrosion, 179-80  
Aluminum alloys (1100-0), explosive forming, 261  
Aluminum alloys (1245) (Al-Ni coated), corrosion, 261  
Aluminum alloys (1245)(irradiated), corrosion and film formation, 120  
Aluminum alloys (5056-H343), welding, 74  
Aluminum alloys (8061), corrosion, 179-80  
explosive bonding, 261-2  
mechanical properties, 156-7  
reaction with steam, 242  
Aluminum alloys (APM), welding, 145  
Aluminum alloys (HS 15), explosive forming, 76  
Aluminum alloys (Ni-plated), behavior, 261  
Aluminum alloys (X8001), corrosion, 180, 238-9  
mechanical properties, 156-7  
Aluminum-beryllium-silicon system, ternary eutectic solidification, 111  
Aluminum-boron carbide dispersions (S.S. 304L-clad), control-rod fabrication and assembly, 47  
Aluminum-cerium-chromium-magnesium-silicon system, reaction with steam, 242  
Aluminum-chromium-iron-yttrium alloys, corrosion, 121  
Aluminum-chromium-titanium-vanadium alloys, brazing using, 206  
Aluminum-copper alloys (irradiated), electrical resistivity, 129  
Aluminum-copper single crystals (irradiated), strength, 251  
Aluminum foils (irradiated), damage recovery and defect clusters, 53  
Aluminum-iron-nickel alloys, corrosion, 180  
Aluminum-iron-nickel-silicon system, polarization, 49

Aluminum-iron-uranium alloys, phase studies, 151, 213  
properties, 150  
structure, 150  
Aluminum-magnesium alloys (irradiated), electrical resistivity, 129  
Aluminum-manganese alloys (irradiated), electrical resistivity, 129  
Aluminum-molybdenum-tin-zirconium alloys, H embrittlement, 245  
Aluminum-nickel alloys, diffusion in, 196  
Aluminum-nickel-plutonium alloys (Zircaloy-2-clad) (irradiated), properties, 85  
Aluminum-nickel-silicon system, corrosion and hot strength, 239  
Aluminum-nickel-uranium alloys, diffusion in, 138  
reaction, with steam, 225, 242  
with water, 31  
Aluminum-niobium alloys, phase studies, 62-3  
Aluminum-niobium intermetallic compounds, oxidation, effects of Si or Sn on, 50  
Aluminum-niobium-titanium intermetallic compounds, oxidation, Sn effects on, 50  
Aluminum oxide, brazing to Nb, 144  
compatibility with Pu-PuN cermet, 88  
corrosion, 52, 183  
fabrication, 45, 47  
fiber formation by chemical vapor deposition, 204  
fracture, 128  
mechanical behavior, 196  
preferred orientation, 128  
preparation by vapor deposition, 261  
stress-strain properties at high temperatures, 196  
Aluminum oxide (irradiated), annealing, 114  
growth, 113-14  
stresses, 23  
Aluminum oxide (W-metallized), brazing to Nb-Zr alloy, 144  
Aluminum oxide-beryllium oxide ceramics, containment properties, 128  
Aluminum oxide coatings, development for fuel particles, 158  
Aluminum oxide crystals (irradiated), expansion, 130  
Aluminum oxide films, polarization, 49  
Aluminum oxide-gadolinium oxide cylinders, fabrication, 196-7  
Aluminum oxide-gadolinium oxide mixtures, fabrication, 45, 47  
Aluminum oxide-molybdenum ceramics, fabrication, 143

- Aluminum oxide-nickel brazed joints, corrosion, 52
- Aluminum oxide-niobium brazed joints, corrosion, 52
- Aluminum oxide-pyrolytic carbon coatings, crack-stopping properties, 20
- Aluminum oxide-uranium dioxide system, corrosion, 52
- sintering, 224
- Aluminum oxide-uranium dispersions, strength, 81
- Aluminum oxide whiskers, formation by vapor deposition, 142
- Aluminum-plutonium alloys, EBR-I core development and manufacture, 85
- self-irradiation effects, 165
- Aluminum-plutonium alloys (irradiated), annealing effects, 85
- Aluminum-plutonium alloys (self-irradiated), annealing and electrical resistivity, 101
- Aluminum-silicon system (irradiated), electrical resistivity, 129
- Aluminum-silicon-uranium system, properties and structure, 150
- Aluminum-silver alloys (irradiated), electrical resistivity, 129
- Aluminum-thorium alloys, phase studies, 89, 154
- Aluminum-tin alloys (irradiated), electrical resistivity, 129
- Aluminum-titanium alloys, 61
- Aluminum-titanium alloys (irradiated), properties, 61
- Aluminum-uranium alloy powder (Al-clad) (irradiated), properties, 152
- Aluminum-uranium alloys, phase studies, 213
- Aluminum-uranium alloys (Al-clad), reaction with water, 31, 184-5
- Aluminum-uranium alloys (irradiated), annealing effects, 82-3
- Aluminum-uranium composites (Ni-plated), preparation, 143
- Aluminum-uranium dioxide compacts, reactions in, kinetics of, 223-4
- Aluminum-uranium dioxide dispersions, reactions in, inhibition of, 218-19
- Aluminum-uranium octoxide compacts, reaction sintering, 66
- Aluminum-uranium octoxide dispersions, interactions, 89
- phase identification, 157
- Aluminum-uranium octoxide dispersions (irradiated), swelling, 89
- Aluminum-zinc alloys (irradiated), electrical resistivity, 129
- Aluminum-zirconium alloys, 61
- Aluminum-zirconium alloys (irradiated), properties, 61
- APM alloys, cladding applications, 258
- Arc melting, thermodynamics of cold-mold, 201
- B**
- B-66, diffusion bonding, 144
- fabrication, 71, 257
- ingot preparation, 201-2
- oxidation of coated, 240
- welding, 144-5, 204-5, 262-3
- B-77, mechanical properties, effects of C on, 125
- B120VCA, brazing using, 206
- Beryllium, activation analysis, 107
- bend properties, 107-8
- brazing, 37-8, 109
- coatings on, 40, 110, 173
- compatibility with Pu, Th, and U, 14
- corrosion, 40, 112, 173
- deformation, 38, 109, 110
- diffusion bonding, 37
- diffusion in Nb, 110
- ductility, 39, 109
- electrical resistance, 111
- electron microscopy, 39
- electrorefining, 106-7
- fabrication, 37-8, 107-9, 172
- forging, 232
- fuel-can applications and properties, 112-13
- hardness, 39
- impurity distribution, thermal-treatment effects on, 172-3
- Fe solubility in, 40
- joining, 231-2
- lattice parameters, 39
- liquid phase in commercial, 111
- machining, 109
- mechanical properties, 38, 172-3
- melting, 107
- metallurgy, 107
- microstructure, 109, 172
- N solubility in, 39-40
- Ni solubility in, 39-40
- O effects on lattice parameters, 39
- O solubility in, 39-40
- oxidation, 40, 112, 232-3
- oxide films on, 173
- physical metallurgy, 38-40, 109-12, 172-3
- plasticity, 39
- preparation of high-purity, 232
- pressure bonding, 259
- purification, 107
- reactions with gases, 232-3
- redrawing of extruded, 107-8
- self-diffusion in BeO, 174
- specific heat, 111
- structure, dissolved gas and Ni effects on, 40
- tensile properties, 107-8
- ternary phases in commercial, 110-11
- Ti solubility in, 39
- toxicology, 113
- U diffusion in, 172
- welding, 108-9
- wetting of, 75
- Y solubility in, 39
- Zr solubility in, 39
- Beryllium (coated), corrosion, 112
- Beryllium (irradiated), ductility, 41
- He-bubble formation, 41
- mechanical properties, 41
- neutron production, 40-1
- properties, 112-13
- Beryllium acetate, activation analysis, 107
- Beryllium alloys, corrosion, 111-12, 173
- Beryllium bronze, aging, tensile force effects on, 246
- Beryllium-calcium alloys, corrosion, 40, 173
- Beryllium carbide, thermodynamics, 197
- Beryllium-chromium alloys, properties, 172-3
- Beryllium compounds, evaporation and Seebeck coefficients, 115
- Beryllium-copper alloy sheet, mechanical properties, 112
- Beryllium-copper alloy single crystals, tensile properties, 38-9
- Beryllium crystals, impurities, 110
- lattice parameters, 110
- mechanical properties, 109
- thermal evaporation, 110
- Beryllium films, preparation, 232
- slip, 39
- Beryllium foils, solubility of Ni, Ti, Y, and Zr in, 39
- Beryllium-iron alloys, annealing effects, 173
- impurity distribution, thermal-treatment effects on, 172-3
- matrix ductility, 39
- mechanical properties, alloying element effects on, 172-3
- microstructure, 172
- Beryllium-nickel alloys, corrosion, 40, 173
- lattice parameters, O effects on, 39
- solubility of Ni, O, Ti, Y, and Zr in, 39
- Beryllium-niobium alloys, phase studies, 110
- Beryllium-niobium intermetallic compounds, oxidation, 233
- Beryllium-niobium-zirconium alloys, brazing applications, 263
- Beryllium-nitrogen-oxygen solid solutions, decomposition, 40
- Beryllium oxide, applications, 174
- Be self-diffusion in, 174
- corrosion, 183
- fabrication, 115
- fiber formation by chemical vapor deposition, 204
- fracture stress-temperature relation, 114-15
- mechanical behavior, 196
- preferred orientation, 128
- preparation by vapor deposition, 261
- properties, 115, 174
- Beryllium oxide (irradiated), annealing, 114
- damage, 55, 132, 253
- disorder structure, 233
- electron photomicrography, 41
- He-bubble formation, 41
- properties, 42, 113-14, 173-4
- stability, 115
- strength, 41
- stresses, 23
- tunneling, 131
- volume expansion, 41
- Beryllium oxide (UO<sub>2</sub>-fueled) (irradiated), damage, 174
- Beryllium oxide-calcium oxide ceramics, containment properties, 128
- Beryllium oxide crystals (irradiated), damage and debris, 115
- Beryllium oxide-magnesium oxide ceramics, containment properties, 128
- Beryllium oxide-nickel brazed joints, corrosion, 52
- Beryllium oxide powder, hot pressing, 115
- Beryllium oxide single crystals, growth, 42
- Beryllium-palladium alloys, wetting of Be, 75
- Beryllium powder, forging, 232
- Beryllium powder (irradiated), He-bubble formation in hot-extruded, 41
- Beryllium sandwich structure, performance, 109
- Beryllium sheet, mechanical properties, 111-12
- oxidation, 112
- performance, 109
- pressure bonding, 141
- Beryllium single crystals, 38-9
- solid-solution strengthening, 232
- Beryllium-thorium alloys, phase studies, 154
- Beryllium-thorium beryllide-uranium beryllide dispersions (irradiated), swelling, 233-4
- Beryllium-titanium alloys, corrosion, 232
- ductility, 232
- preparation, 232
- solubility of Ni, Ti, Y, and Zr in, 39
- wetting of Be, 75
- Beryllium-titanium-zirconium alloys, brazing applications, 144, 263
- Beryllium tubing, burst strength and extrusion, 108
- Beryllium-tungsten alloys, phase studies, 126, 194
- Beryllium weldments, strength, 109
- Beryllium wire, fabrication, 37, 108, 232
- properties, 37
- tensile strength, 108
- Beryllium-yttrium alloys, solubility of Ni, Ti, Y, and Zr in, 39
- Beryllium-zirconium alloys, corrosion, 232
- ductility, 232
- preparation, 232

- Beryllium-zirconium alloys (Continued)  
solubility of Ni, Ti, Y, and Zr in, 39  
wetting of Be, 75
- Beryllium-zirconium intermetallic compounds, oxidation, 233
- Bismuth-thorium alloys, phase studies, 154
- Boiling Reactor Experiments V, control-rod poison material, 47
- Bonding, nondestructive testing, 265  
review of diffusion and hot-pressure, 203
- Boride compounds, refractory, 177
- Borides (metallic)(irradiated), crystallography, 45
- Boron, preparation, 204  
properties of stainless steel containing ferro-, 177
- Boron carbide, addition to  $UO_2$ , 45  
compatibility with cladding materials, 237  
corrosion, 177-8  
fabrication, 177-8  
pyrolytic synthesis, 142
- Boron carbide (Zircaloy-clad)(irradiated), properties, 118
- Boron carbide fibers, formation, 204
- Boron carbide-glass mixtures, formation, 47
- Boron carbide powder, oxidation, 118
- Boron carbide-silicon carbide mixtures, corrosion and fabrication, 177-8
- Boron carbide-silicon carbide systems (Zircaloy-clad)(irradiated), properties, 118
- Boron carbide-uranium dioxide system, B distribution in and fabrication, 178
- Boron-chromium-nickel-silicon system, brazing applications, 263
- Boron compounds (irradiated), He release, swelling and/or fragmentation, 45
- Boron fibers, formation, 204
- Boron filaments, vapor deposition, 261
- Boron films, preparation, 177
- Boron-hydrogen-zirconium system, compound in, 234
- Boron-iron system (S.S.-clad)(irradiated), bond failure, 237
- Boron Pyralloy, chemical vapor deposition and properties, 73
- Boron-stainless-steel control rods (irradiated), properties, 177
- Boron-tungsten system, phase studies, 126, 194
- Brass, corrosion, 124-5  
ultrasonic detection of surface strain, 264
- Braze alloys, corrosion, 50, 52  
oxidation, 51
- Brazed joints, corrosion, 52-3
- Brazing, 75, 205-6
- Bromine-carbon system,  $Br_2$  exchange, 106
- Bronze, corrosion, 124-5
- Bronze (Be), aging, tensile-force effects on, 246
- Bronze [silicon (A)], corrosion, 121
- C**
- C-129Y (Al-Si-Ag system-coated), oxidation, 240-1
- Cadmium, nuclear poison applications, 118
- Cadmium-indium-silver alloys (plated)(irradiated), mechanical properties, 45
- Cadmium-tantalum oxide, neutron absorption, 45
- Cadmium-uranium intermetallic compounds, 81
- Calcium, phase diagram at high pressures, 195
- Calcium (irradiated), monovacancy-formation energy relation to melting point, 187
- Calcium hydride, dissociation pressure and free energy of formation, 42-3
- Calcium oxide-silicon dioxide-sodium oxide glass ( $UO_2$ -fueled), density and  $UO_2$  solubility, 97
- Calcium-zirconium alloys, oxidation, 238
- Carbide fuel particles (coated)(irradiated), properties, 23-7
- Carbide fuel particles (PyC-coated), research review, 91
- Carbide fuel particles (PyC-coated)(irradiated), fission-gas release, 23
- Carbides, 196  
preparation of high-compressive-strength, 249
- Carbon  
See also Graphite and Soot  
oxidation, 36-7
- Carbon (irradiated), stresses, 23
- Carbon (pyrolytic)  
See also Boron Pyralloy  
deposition, 73, 142  
diffusion in, 94, 221-2
- Carbon-chromium-uranium system, phase studies, 98
- Carbon (pyrolytic) coatings, crushing strength, 20  
deposition, 19, 142  
development, 158  
hardness, 20  
preparation, 91, 219  
strain, 219  
stress, 219  
U migration into, 19, 158
- Carbon-hafnium-tantalum system, phase studies, 177
- Carbon-hafnium-tantalum-tungsten systems, stress-rupture properties, 244
- Carbon-iron-plutonium system, eutectic temperatures, 98
- Carbon-iron systems (irradiated), properties, 250
- Carbon-iron-uranium system, eutectic temperatures, 98
- Carbon-molybdenum-niobium-titanium system, engineering properties, 125
- Carbon-molybdenum-niobium-tungsten-zirconium system, creep, 125-6
- Carbon-molybdenum-thorium system, phase studies, 98
- Carbon-molybdenum-titanium-zirconium system, engineering properties, 125
- Carbon-molybdenum-tungsten-zirconium system, engineering properties, 125
- Carbon-molybdenum-uranium system, corrosion, 52  
phase studies, 98
- Carbon-niobium-tungsten-yttrium-zirconium system, creep, 125-6
- Carbon-niobium-tungsten-zirconium system, engineering properties, 125
- Carbon-niobium-tungsten-zirconium system tubing, fabrication, 71, 139
- Carbon-niobium-uranium system, phase studies, 98
- Carbon-oxygen-uranium system, phase studies, 15
- Carbon-plutonium system, phase studies, 16-18, 153
- Carbon-plutonium-thorium system, phase studies, 88
- Carbon-plutonium-uranium system, phase studies, 88, 98, 153
- Carbon-rhenium-uranium system, phase studies, 98
- Carbon-tantalum system, phase studies, 66
- Carbon-thorium system, phase studies, 154
- Carbon-thorium-uranium system, phase studies and properties, 30
- Carbon-tungsten system, phase studies, 126
- Carbon-tungsten-uranium system, phase studies, 98
- Carbon-uranium-yttrium system, phase studies, 98
- Carbon-zirconium system, phase studies, 66
- Cb-752, ingot preparation, 201-2  
welding, 204-5
- Cb-752 (irradiated), elongation and yield strength, 189
- Ceramic coatings, development, 74  
nondestructive testing, 78
- Ceramic-powder-metal-powder mixtures, pressure bonding, 141
- Ceramic powders, compaction, 72, 141
- Ceramics, sealing to metals, 144  
self-healing reactions with K, 182-3  
technology, 66, 128, 196-7, 247-9
- Ceramics (irradiated), damage in nonfissile, 132  
properties, 32-3
- Ceramics (refractory), properties, 128  
thermal stability, 196
- Cerium-cobalt-plutonium alloys, heat capacity, 214
- Cerium-copper-plutonium alloys, phase studies, 65
- Cerium dioxide-glass coatings, oxidation resistance, 204
- Cerium dioxide-zirconium dioxide system, solid solutions, 128
- Cerium-gadolinium alloys, phase studies, 236
- Cerium-nickel-plutonium alloys, melting points, 65
- Cerium-thorium alloys, phase studies, 154
- Cermets, self-healing reactions with K, 182-3
- Cesium (molten), corrosive effects, 52-3, 241
- Cesium (vaporized), corrosive effects, 52-3, 124-5
- Cesium-cobalt-plutonium alloys (molten), compatibility with Nb, Ta, and Ta-W alloys, 16
- Cesium-graphite compounds, decomposition, 171-2
- Chance Vought IV coating, emittance, 74
- Chemical vapor deposition, development, 73
- Chromium, corrosion, 52  
crystallography, 16-17  
diffusion in, 246  
diffusion in U, 81, 127  
solubility in Hg, 183
- Chromium carbide, properties, 66
- Chromium-copper-germanium-nickel-palladium alloys, brazing applications, 263
- Chromium-copper-iron-zirconium alloys, corrosion and H pickup, 119
- Chromium dioxide, corrosion, 183
- Chromium-iron alloys, diffusion in, 195-6, 246  
 $^{135}Xe$  release, 195
- Chromium-iron-nickel alloys, brazing, 263  
stress corrosion, 121
- Chromium-iron-uranium monocarbide system, phase studies, 98
- Chromium lamella, vapor deposition, 260
- Chromium-manganese-nickel-silicon system, use in brazing René 41, 144
- Chromium-molybdenum-nickel alloys, corrosion, 121
- Chromium-molybdenum-uranium alloys, properties and structure, 150
- Chromium-nickel alloy-uranium dispersions (irradiated), volume change, 219
- Chromium-nickel alloys, corrosion, 121
- Chromium-nickel alloys (irradiated), electrical resistivity, 134  
structural transformation, 129
- Chromium-nickel-niobium alloys, phase studies, 62  
structural transformation, 194
- Chromium-nickel-silicon system, brazing applications, 263
- Chromium-niobium alloy tubing, fabrication, 71
- Chromium-niobium alloys, corrosion, 51-2  
hardness, 62  
phase studies, 62
- Chromium-niobium-titanium alloys, corrosion, 51-2  
phase studies, 61-2  
scale formation, 62

Chromium-niobium-titanium-vanadium alloys, oxidation, 50

Chromium-niobium-uranium alloys, phase studies and structure, 213

Chromium-niobium-zirconium alloy tubing, fabrication, 71

Chromium oxide-Inconel-magnesium oxide coatings, heat resistance, 74

Chromium-silicon-titanium system coatings, development, 74

oxidation of, on Nb alloys, 181

Chromium-tellurium-zirconium alloys, corrosion, 48

Chromium-titanium alloys, brazing using, and foil production, 206

Chromium-titanium-vanadium alloys, brazing using, 206

Chromium-uranium alloys, properties and structure, 150

Chromium-uranium alloys (irradiated), damage annealing and swelling, 101

Chromium-zirconium intermetallic compound-zirconium cells, electrochemical potentials, 49

Chromizing Durak B coatings, emittance, 74

Cladding  
See Fuel cladding

Coatings, high-temperature inorganic, 241

multilayer diffusion, 204

Cobalt, corrosion, 24-5, 47

crystallography, 16-17

diffusion in U, 81, 127

solubility in Hg, 183

Cobalt-dysprosium oxide dispersions, 47

Cobalt-dysprosium oxide dispersions (irradiated), economics and strength, 236

Cobalt-manganese alloys, diffusion, 127

Cobalt-palladium alloys, use in brazing W-metalized  $Al_2O_3$  to Nb-Zr alloy, 144

Cold working, 71-2

Compaction (vibratory), densities of spherical shapes produced by, 259-60

Composites (fibrous), joining and seaming, 260

Compounds (irradiated), phase transformations, 253

Containment materials, compatibility with molten Cs, 241

Control rods (Al-B<sub>2</sub>C dispersion)(S.S. 304L-clad), fabrication and assembly, 47

Control rods (B-S.S.), properties, 177

Copper, compatibility with boron carbide, 237

corrosion, 124-5

crystallography, 16-17

diffusion in, 239

diffusion in U, 81, 127

explosive forming, 75-6

H and He permeability, 126-7

oxidation, 239

Pd diffusion in, 127, 247

thermal-diffusivity testing of soft-soldered, 146

wetting of Be, 75

Copper (irradiated), annealing, 53, 185

binding energy and migration energy of divacancies, 53-4

channeling effects, 55

cluster density, 53

damage, 249, 253

defect concentration, 186

deuteron range in, 185-6

effective collision radius, 185

hardening, 54

monovacancy-formation energy relation to melting point, 187

strength, 251

Copper alloys, explosive bonding to Al alloys, 261

explosive welding, 262

H and He permeability, 126-7

Copper alloys (brazed), corrosion, 50

Copper crystals (irradiated), channeling effects, 55

Frenkel pairs, 56

radioactivity, 129

Copper films (irradiated), properties, 129-30

Copper-molybdenum-zirconium alloys, oxidation, 238

Copper-nickel alloys, corrosion, 121

Copper-nickel alloys (irradiated), recovery, 250

Copper-niobium-zirconium alloys, delayed failure H embrittlement, 195

Copper-phosphorus-zirconium system, oxidation, 238

Copper single crystals, microstructure of explosively formed, 77-8

Copper-uranium alloys (splat-cooled), preparation and properties, 72

Copper-uranium dispersions, production, 82

Copper-zinc alloys, diffusion, 127

Copper-zirconium alloys, oxidation, 238

Copper-zirconium intermetallic compound-zirconium cells, electrochemical potentials, 49

Copper-zirconium intermetallic compounds, H overvoltage, 49

Coumarin, Ni plating using, 143

Croloy-9M, corrosion-product removal, 183

Crystals (irradiated), cascades, lattice effects on, 132

Cu-atom slowing, 131

damage, 186

particle tracks, 186

Crystals (single)(irradiated), fission tracks in heat-sensitive, 55

Cuprous oxide (irradiated), exciton spectrum, 186

## D

D-31, hot rolling, 71

welding, 204-5

D-36, brazing, 206

diffusion bonding, 144

welding, 144-5, 204-5

D-43, diffusion bonding, 144

ingot preparation, 201-2

welding, 262-3

D-43 (coated), oxidation, 240-1

D-43 tubing, fabrication, 71

Deuterium-zirconium system, properties, 175

Diffusion coatings, multilayer, advantages of, 204

Diffusion bonding, reviews, 203

Dresden reactor, S.S. (17-4 PH), stress corrosion, 4

Dysprosium oxide, corrosion, 47

solubility in glasses, 47

stabilization, 248-9

## E

Eddy-current testing, parameter separation, 207

Erbium sheet, fabrication, 139

Europium oxide, solubility in glasses, 47

stabilization, 248-9

Europium oxide (PyC-coated), preparation and properties, 19

Europium oxide-plutonium dioxide system, phase studies, 87-8

Europium oxide-plutonium oxide system, lattice parameters and phase studies, 177

Europium oxide-stainless-steel-titanium dioxide dispersions (S.S.-clad), development, 237

Europium oxide-uranium dioxide system, phase structure, 96

Europium oxide-uranium oxide system, lattice parameters and phase studies, 177

Experimental Beryllium Oxide Reactor,  $Wf$  plateout, 51

Experimental Boiling-Water Reactor, impaction of canned  $PuO_2-UO_2$  system fuel, 141

Experimental Breeder Reactor II, Al-Pu alloy core development and manufacture, 85

Na bonding of S.S.-canned fuel, 141

Experimental Breeder Reactor II core 2, alloy development, 71

Extrusion presses, temperature-sensing instruments, 201

## F

F-48, extrusion, 72

hot rolling, 71

properties, 60

upset forging, 72

vacuum arc melting, 71

welding, 204-5

F-48 electrodes, preparation, 71-2

Fabrication, techniques, special, 71-8

Fast reactors, alloy development for fuel jackets, 71

Ferroboration, properties of stainless steel containing, 177

Ferrous metals  
See Metals (ferrous)

Fertile materials, 149-66

Fibrous materials, joining and seaming, 260

Fissium-uranium alloys, heat capacity, 82

transformation, 213

Fizzium-plutonium-uranium alloys, casting, 258

compatibility with metals and alloys, 153, 214-15

heat content, 214

heat of fusion, 214

melting, 214

solid transformation, 214

tensile properties, 16

Foils (irradiated), damage, 186

FS-82, welding, 204-5

FS-85, fabrication, 257

welding, 144-5, 204-5, 262

Fuel cladding, alloy development for fast reactor, 71

fabrication, 202-4

fission-product diffusion and release, 195-6

Fuel-cladding materials, 48-66, 119-34, 179-97

diffusion, 126-8

mechanical properties, 60-1, 125-6, 191-4

metallurgy, 61-6, 126, 194-5

Fuel materials, diffusion in PyC, 221-2

Fuel materials (irradiated), properties, 32-3, 226

Fuel materials (U-based)(irradiated), properties, 32, 165

Fuel-particle (coated)-graphite dispersions, development, 27-8

Fuel particles ( $Al_2O_3$ -coated), compatibility with graphite, 94-5

Fuel particles ( $BeO$ -coated), compatibility with graphite, 94-5

Fuel particles (C-coated), reactions with steam, 94

Fuel particles (coated)(irradiated), fission-gas release, 20

properties, 20-7

Fuel particles (graphite-coated), reactions with steam, 94

Fuel particles ( $MgO$ -coated), compatibility with graphite, 94-5

Fuel particles (PyC-coated), development, 19-20

surface area, 19



Fuel particles (PyC-coated)(irradiated), properties, 221  
 Fuel particles (ZrO<sub>2</sub>-coated), compatibility with graphite, 94-5  
 Fuel slugs, boring, 201  
 Fuels, canning, 203  
   pressure bonding of PWR, 140  
   reactions with water, 31-2  
 Fuels (AlSi-canned), ultrasonic testing, 78  
 Fuels (canned), impact bonding, 141  
 Fuels (Cd-bearing), nuclear poison properties, 118  
 Fuels (clad), fabrication, patents for, 260  
   ultrasonic inspection, 264  
 Fuels (coated-particle), reviews, 158  
 Fuels (irradiated), fission-gas bubble diffusion, 184  
   fission-gas release, 32, 100  
   properties, 101  
   swelling, 100-1  
   ultrasonic testing, 206  
 Fuels (S.S.-canned), Na bonding of EBR-II, 141  
 Fuels (S.S. 406-clad), swaging, 140  
 Fuels (U-based)(irradiated), properties, 152  
 Furnaces, high-temperature-sensing devices in remelt, 201

## G

Gadolinium oxide, fabrication, 45, 47  
   solubility in glasses, 47  
 Gadolinium oxide-samarium oxide mixtures, solubility in glasses, 47  
 Gadolinium oxide-uranium dioxide system, phase studies, 236  
 Gadolinium trialuminate, decomposition temperature, 177  
 Gallium-plutonium alloys, homogenization behavior, 152-3  
 Generators (steam), S.S. 304 stress corrosion in PWR, 3, 5-6  
   S.S.(austenitic) stress corrosion in HRE-2, 11  
 Germanium, wetting of Be, 75  
 Germanium (irradiated), damage, 253  
   displacement-spike crystallization, 251  
 Germanium films (irradiated), displacement-spike crystallization, 130  
 Glass-rare-earth oxide mixtures, preparation and properties, 47  
 Glasses, lubricant for Y-tubing production, 139  
   solubility of rare-earth oxides in, 47  
 Glasses (Cd-bearing), nuclear poison applications, 118  
 Glasses (irradiated), fission tracks, 55  
 Glasses (poison), development, 47  
 Glasses (UO<sub>2</sub>-fueled), 97  
 Gold, corrosion, 52, 124-5  
   H and He permeability, 126-7  
   self-diffusion, activation energy for, 246  
   wetting of Be, 75  
 Gold (irradiated), annealing, 185  
   deuteron range in, 185-6  
   focused-collision sequences, 129  
   monovacancy-formation energy relation to melting point, 187  
 Gold alloys, H and He permeability, 126-7  
 Gold-197 crystals (irradiated), transmutation effects, 250  
 Gold films (irradiated), properties, 129-30  
 Gold films (single-crystal)(irradiated), damage, 53  
 Gold-nickel alloys, brazing applications, 263  
 Graphite  
   See also Carbon and Soot  
   compatibility with fuel particles (oxide-coated), 94-5  
   creep, 230  
   deposition by sublimation, 230  
   oxidation, 36-7, 106

  radial microcracking, 160  
   reaction, with CO<sub>2</sub>-He mixtures, 169  
     with He-H<sub>2</sub>O mixtures, 169-70  
     with steam, 169-70  
   research and development in Japan, 230  
 Graphite (AGXP)(irradiated), neutron scattering, 251  
 Graphite (ATJ), stress-strain properties at high temperatures, 196  
 Graphite (carbonyl Ni-coated), preparation, 73  
 Graphite (colloidal), lubricant for Y-tubing production, 139  
 Graphite (Hi-coated), preparation by vapor deposition, 143  
 Graphite (irradiated), contraction, tensile load effects on, 170  
   creep, 106  
   damage, 36, 54-5, 131, 186, 253  
   dimensional changes, 130-1, 170  
   elasticity, 36  
   energy release, 186  
   oxidation, 106  
   properties, 132  
   thermal resistivity, 56, 130  
   Young's modulus, 36  
 Graphite (polycrystalline)(irradiated), damage retention and dimensional changes, 171  
 Graphite (porous), diffusion of Pa, Th, and U in, 94  
 Graphite (pyrolytic), properties, 37  
   thermal conductivity, 260  
   U diffusion in, 159-60  
 Graphite (pyrolytic)(irradiated), dimensional changes, 55  
   electrical conductivity, 260-1  
   properties, 170-1  
 Graphite (W-coated), preparation, 261  
 Graphite (ZrO<sub>2</sub>-coated), preparation by vapor deposition, 143  
 Graphite cloth (irradiated), properties, 230  
 Graphite compounds, Br<sub>2</sub> exchange in, 106  
 Graphite crystals (irradiated), annealing, 131  
   spin resonance, 131  
   vacancy-formation energy, 56  
 Graphite-hafnium monocarbide-uranium dicarbide system, phase studies, 98  
 Graphite-matrix compacts, research review, 91  
 Graphite-niobium monocarbide mixtures, addition of UC, 29  
 Graphite-niobium monocarbide-uranium dicarbide system, phase studies, 98  
 Graphite spheres (fueled), eddy-current inspection, 146  
 Graphite-tantalum monocarbide-uranium dicarbide system, phase studies, 98  
 Graphite-uranium carbide particle (PyC-coated) dispersions, fabrication effects, 27-8  
 Graphite-uranium dicarbide-zirconium monocarbide system, phase studies, 98  
 Graphite-uranium dioxide particle (PyC-coated), dispersions, fabrication effects, 28  
 Graphite-uranium monocarbide-zirconium monocarbide particle (pyrolytic graphite-coated) dispersions, hot-working effects, 28  
 Graphite-zirconium monocarbide mixtures, addition of UC, 29  
 Graphite (pyro-)zirconium system, flexural strength and microstructure, 66

## H

Hafnium, atomic force constant, 65  
   Debye temperature, 65  
   electrodeposition, 260  
   electron term, 65  
   heat content, 177  
   fracture, 45  
   O diffusion in, 118  
   purification, 45

  specific heat, low-temperature, 65  
   temperature effects on, 244  
   vapor plating using metal-organic compounds, 204  
 Hafnium boride, kinetics and thermodynamics, 128  
 Hafnium carbide, casting, 118, 236  
   fabrication, 177  
   kinetics, 128  
   oxidation, 236  
   properties, 66, 177  
   thermodynamics, 66, 128, 197  
 Hafnium diboride, properties, 237  
   thermodynamics, 197  
 Hafnium dioxide coatings, plasma spraying, 74  
   vapor deposition on graphite, 143  
 Hafnium monocarbide powder, nitriding, 248  
 Hafnium mononitride powder, carburization, 248  
 Hafnium monoxide, thermodynamics, 197  
 Hafnium-niobium-titanium-zirconium alloys, engineering properties, 125  
 Hafnium-niobium-tungsten alloys, creep, 125-6  
   engineering properties, 125  
 Hafnium-niobium-tungsten alloys (Al-Si-Ag system-coated), oxidation, 240-1  
 Hafnium nitride coatings, protection of W from C diffusion, 74  
 Hafnium oxide, thermodynamics, 197  
 Hafnium sheet, mechanical properties, 118  
 Hafnium-tantalum-tungsten alloy tubing, fabrication, 139  
 Hafnium-tantalum-tungsten alloys, engineering properties, 125  
   ingot preparation, 201-2  
 Hafnium-thorium alloys, phase studies, 154  
 Hafnium-zirconium alloys, corrosion, 48  
   thermal expansion, 65  
 Hanford Production Reactor (N), S.S. heat-exchanger stress-corrosion cracking and pitting, 49  
 Hastelloy B, oxidation, 122  
 Hastelloy C, corrosion, 121  
   welding, 75  
 Hastelloy F, compatibility with UC, 163  
 Hastelloy N, corrosion, pressure effects on, 120-1  
 Hastelloy N (irradiated), tensile properties, 189  
 Hastelloy R-235 (irradiated), tensile properties, 189  
 Hastelloy W, filler-metal applications in welding, 204  
 Hastelloy X, compatibility with Fe-Pu-U alloys, 214-15  
   corrosion, 50, 120-1, 180-1  
   oxidation, 51, 181, 239  
   steam effects on, 180-1  
   stress corrosion, 121  
   welding, 75  
 Hastelloy X (irradiated), tensile properties, 134, 189  
 Hastelloy X-280, oxidation, 122  
 Hastelloys, welding, 204  
 Haynes 25, corrosion-product removal, 183  
   diffusion bonding to Nb-752, 144  
   oxidation, 51, 181  
   pretreatment with Hg, 184  
   solubility in molten Cs, 241  
   welding, 75  
 Haynes 25-niobium-zirconium combinations, mass transfer of metallic constituents, 241  
 Haynes alloys, welding, 75, 204  
 Heat exchangers, S.S. stress-corrosion cracking and pitting in Hanford Production Reactor (N), 49  
   S.S.(austenitic) stress corrosion, 3  
 High-Temperature Lattice Test Reactor, oxidation of cladding and structural components, 122  
 Holmium-thorium alloys, phase studies, 89

Homogeneous Reactor Test, S.S.(304) stress corrosion, 2  
 S.S.(347) stress corrosion, 2  
 S.S.(austenitic) stress corrosion in steam generators, 11  
 Honeycomb panels, explosive forming, 261  
 Hot-pressure bonding, review, 203  
 Human beings, neutron dosage from irradiated Be, 41  
 Hydrides, formation of metallic, 43  
 Hydrogen-nitrogen-zirconium systems, compound in, 234  
 Hydrogen-strontium system, phase studies, 115-16

INCO-270, oxidation, 51  
 Incoloy, corrosion, 50, 120-1, 180  
 steam effects on, 180-1  
 stress corrosion, 121  
 Incoloy (irradiated), corrosion, 49  
 Inconel, compatibility with UC, 163  
 corrosion, 50, 180-1  
 corrosion-product solubility in water, 239  
 reaction with PuN, 218  
 steam effects on, 180-1  
 stress corrosion, 6  
 welding, 145  
 Inconel (irradiated), corrosion, 49  
 Inconel 600, corrosion-film removal, 239-40  
 oxidation, 122, 181  
 stress corrosion, 121  
 Inconel 625, oxidation, 122  
 stress corrosion, 121  
 Inconel 625 (irradiated), tensile properties, 189  
 Inconel 700, brazing effects on, 263  
 Inconel 702, brazing to Mo, 144  
 oxidation, 181  
 Inconel 718 (irradiated), tensile properties, 189  
 Inconel C, stress corrosion, 121  
 Inconel X, corrosion, 50, 120-1  
 explosive forming, 261  
 stress corrosion, 121  
 welding, 145  
 Inconel X (irradiated), corrosion, 49  
 Indium-115 crystals (irradiated), transmutation effects, 250  
 Indium-115 oxide powder (irradiated), transmutation effects, 250-1  
 Indium-oxygen-tantalum compounds ( $\text{In}_2\text{Ta}_2\text{O}_8$ ), neutron absorption, 45  
 INOR-8 (irradiated), tensile properties, 189  
 Intermetallic compounds, hydriding of binary, 43  
 Iridium, reaction with UC, 29-30  
 Iridium (irradiated), monovacancy-formation energy relation to melting point, 187  
 Iridium-193 powder (irradiated), transmutation effects, 250  
 Iron, corrosion, 124-5  
 crystallography, 16-17  
 diffusion in U, 81, 127  
 mechanical properties, temperature effects on, 132  
 recovery of cold-worked, 249  
 self-diffusion, activation energy for, 246  
 solubility, in Be, 40  
 in Hg, 183  
 Iron (irradiated), annealing, impurity effects on, 53  
 channeling effects, 55  
 damage, 131, 249-50, 252  
 defect production, impurity effects on, 53  
 displacement spikes, saturation effects on, 252-3  
 impurity separation in, 249  
 interstitials, 252  
 mechanical properties, 132  
 N precipitation, 56, 60

neutron production, 41  
 recovery, 249  
 vacancies, 252  
 Iron alloys, corrosion, pressure effects on, 120-1  
 reaction with PuN, 218  
 Iron-molybdenum-titanium alloys, use in brazing Nb-Zr alloy, 144  
 Iron-nickel alloys, deposition from mixed Fe and Ni carbonyls, 203  
 $^{133}\text{Xe}$  release, 195  
 Iron-nickel alloys (irradiated), 186  
 Iron-plutonium alloys, liquidus temperatures, 153  
 Iron-plutonium alloys (molten), viscosity, 85-96  
 Iron-uranium alloy-uranium monocarbide pellets (S.S.-clad)(irradiated), 30  
 Iron-uranium alloys, transformation, 213  
 Iron-zirconium alloys, phase studies, 126  
 Iron-zirconium intermetallic compound-zirconium cells, electrochemical potentials, 49

J-8900, brazing applications, 263  
 Joints (brazed), corrosion, 52-3

K-Monel, explosive bonding to S.S. 321, 261

L-605, brazing effects on, 263  
 corrosion, 51  
 L-605-molybdenum brazed joints, corrosion, 51  
 L-605-molybdenum-titanium alloy brazed joints, corrosion, 51  
 Lanthanum, Pu solubility in, 16  
 Lanthanum oxide-zirconium dioxide system, solid solutions, 128  
 Lava, corrosion, 124-5  
 Lead (irradiated), monovacancy-formation energy relation to melting point, 187  
 Lead alloys (irradiated), damage, 253  
 Lead oxide-rare-earth oxide ceramics, neutron-capture cross sections and specific gravities, 248  
 Lead oxide-zirconium oxide ceramics, gamma-radiation attenuation, 248  
 Lead-thorium alloys, phase studies, 154  
 Liquids, diffusion in, 195  
 Lithium (molten), alloy creep in, 241  
 corrosive effects, 52, 124, 184, 241  
 Lithium fluoride (irradiated), fission tracks, 55  
 Lutetium-176 oxide powder (irradiated), transmutation effects, 250-1

Magnesium, compatibility with Pu, Th, and U, 14  
 corrosion, 124-5  
 diffusion of Pu and U in, 127-8  
 self-diffusion, activation energy for, 246  
 solubility of Pu and U in, 127-8  
 Magnesium (irradiated), neutron production, 41  
 Magnesium nitride, thermodynamics, 197  
 Magnesium oxide, corrosion, 52, 183  
 fracture, 128  
 mechanical behavior, 196  
 sintering, water vapor effects on, 196  
 use for ceramic-to-metal seals, 144

Magnesium oxide (irradiated), annealing, 114  
 damage, 132  
 growth, 113-14  
 stresses, 23  
 Magnesium oxide crystals (irradiated), properties, 130  
 Magnesium oxide-plutonium dioxide system, eutectic, 86  
 Magnesium oxide single crystals, mechanical behavior, 247-8  
 Magnesium oxide single crystals (irradiated), annealing and mechanical properties, 55  
 Magnesium-thorium alloys, phase studies, 154  
 Magnesium-zirconium alloys, boundary cracking, 246  
 directional diffusion in, 247  
 Magnetic materials (irradiated), damage, 249-50  
 Manganese, diffusion in U, 81, 127  
 solubility in Hg, 183  
 Manganese-nickel alloys, corrosion, 52  
 Melting, 71-2  
 high-temperature sensing devices, 201  
 thermodynamics of cold-mold arc, 201  
 vacuum induction, 201  
 Mercury, carbon-steel pretreatment with, 184  
 corrosive effects, 53, 183-84  
 Haynes 25 pretreatment with, 184  
 Ti and Zr addition to boiling, 183-4  
 Mercury (vaporized), corrosive effects, 53  
 Metal borides (irradiated), crystallography, 45  
 Metal (refractory) carbide-uranium carbide systems, phase studies, 98  
 Metal (refractory) coatings, preparation, 261  
 Metal hydrides, formation, 43  
 Metal-organic compounds, vapor plating applications, 204  
 Metal oxides, melting points, 247  
 preparation by vapor deposition, 261  
 Metal (refractory) powders, pressure bonding, 141  
 Metal (refractory) tubing, production techniques, 71  
 Metallic coatings, development, 74  
 Metals, brazing, 205-6  
 diffusion in, 195, 247  
 explosive forming, 75-8, 144, 261  
 joining, 204-6  
 sealing to ceramics, 144  
 self-diffusion, activation energies for, 246  
 thermal-diffusivity testing of bonds, 146  
 Metals (Admiralty), corrosion, 121  
 Metals (bcc), channeling effects, 55  
 diffusion in, 246  
 lattice-friction stress, 126  
 microstructure of explosively formed, 77  
 Metals (ceramic-coated), nondestructive testing, 78  
 Metals (fcc), microstructure of explosively formed, 77  
 Metals (fcc)(irradiated), channeling effects, 55-6  
 Metals (ferrous), compatibility with Pu, Th, and U, 14  
 Metals (irradiated), damage, 131, 253  
 defects, 187  
 heavy-ion stopping power, 132  
 mechanical properties, 252  
 phase transformations, 253  
 point defects, 253  
 range-energy relations, 132  
 Metals (molten), corrosive effects, 51-3, 184  
 Metals (refractory), brazing, 205-6  
 coatings for, 124  
 compatibility with Pu, Th, and U, 14  
 corrosion, 50, 52, 122-4  
 creep, 125  
 diffusion bonding, 203  
 electroforming, 260  
 electroplating, 260  
 engineering properties, 125

## Metals (refractory) (Continued)

- joining using vapor-deposited W, 142
- mechanical properties, 60-1
- metallurgical aspects, 61-4
- oxidation, protection from, 50
- reactions with PuN, 218
- vapor plating using metal-organic compounds, 204
- welding, 145
- Metals (refractory)(coated), preparation, 261
- Metals (refractory)(Hastelloy X-clad), fabrication, 259
- Metals (refractory)(irradiated), test results, 191
- Metals (refractory)(S.S.-clad), fabrication, 259
- Moderator materials, 36-43, 169-75
- Molybdenite (irradiated), fission tracks, 55
- Molybdenum, brazing, 144-5
- coatings for, 124
- compatibility, with Fz-Pu-U alloys, 214-15
  - with PuN, 88
  - with  $\text{PuO}_2$ , 87
  - with  $\text{Pu}_2\text{O}_3$ , 153, 218
  - with UC, 163
- corrosion, 124-6
- creep, 125
- diffusion in Ti, 127
- ductility, 126
- electrodeposition, 260
- engineering properties, 125
- fabrication, 126
- fracture, 126
- mechanical properties, effects of fabrication and microstructure on, 125
- metallurgy, 126
- necking, 126
- oxidation, 122
- physical properties, 126
- purification, 126
- reaction with steam, 243
- refining, 126
- self-diffusion, 62
- solubility in molten Cs, 241
- spot welding, 263
- vapor deposition, 142
- vapor plating using metal-organic compounds, 204
- welding, 145
- Molybdenum (arc-cast), creep properties, 63
- stress-rupture properties, 63
- Molybdenum (Chance Vought IV-coated), emittance, 74
- Molybdenum (Chromizing Durak B-coated), emittance, 74
- Molybdenum (irradiated), corrosion, 189
- damage, 129, 185
- hardening, 54
- test results, 191
- Molybdenum (Pfaudler-coated), emittance, 74
- Molybdenum (Pt-clad), oxidation, 239
- Molybdenum (Pt-Rh alloy-clad), oxidation, 239
- Molybdenum (Re-coated), preparation, 73
- Molybdenum (silicide-coated), failure, 261
- oxidation, 181
- preparation by vapor deposition, 143
- Molybdenum (sintered), creep and stress-rupture properties, 63
- Molybdenum alloy tubes, extrusion, 257
- Molybdenum alloys, phase diagrams of binary and ternary, 63
- properties, 125
- Molybdenum boride, phase studies, 128
- Molybdenum carbide, phase studies, 128
- properties, 66
- Molybdenum coatings, vapor deposition, 73, 142
- Molybdenum dioxide, corrosion, 183
- Molybdenum disilicide coatings, oxidation, 181
- Molybdenum disulfide, lubricant for Y-tubing production, 139
- Molybdenum-nickel alloys, corrosion, 121

- Molybdenum-niobium alloys, corrosion, 51-2, 126
  - engineering properties, 125
  - fabrication, 126
  - metallurgy, 126
  - physical properties, 126
- Molybdenum-niobium-tantalum-tungsten alloys, mechanical properties, 60
- Molybdenum-niobium-titanium alloys, creep, 125-6
- Molybdenum-niobium-titanium-tungsten alloys, engineering properties, 125
- Molybdenum-niobium-titanium-tungsten-zirconium alloys, engineering properties, 125
- Molybdenum-niobium-titanium-uranium-zirconium alloys, transformation, 14
- Molybdenum-niobium-tungsten-zirconium alloys
  - See also F-48
  - engineering properties, 125
- Molybdenum-niobium-uranium alloys, properties and structure, 150
- Molybdenum-niobium-uranium-zirconium alloys, properties and structure, 150
- Molybdenum-niobium-vanadium-zirconium alloys, creep, 125-6
  - engineering properties, 125
  - fabrication, 71, 257
  - welding, 262-3
- Molybdenum-niobium-vanadium-zirconium alloys (coated), oxidation, 240
- Molybdenum-niobium-zirconium alloys, corrosion, 48
  - phase studies, 194
- Molybdenum-nitrogen-rhenium-tantalum-zirconium system, development, 257-8
- Molybdenum-palladium alloys, phase studies, 246
- Molybdenum-rhenium alloys, creep, 125
  - use in welding W, 145
- Molybdenum rods (single-crystal)(irradiated), length increase, impurity effects on, 53
- Molybdenum silicide, oxidation, 181
  - phase studies, 128
- Molybdenum-silicon-uranium system (irradiated), annealing, 151
  - swelling, 151, 164
- Molybdenum-tantalum-tungsten alloys, engineering properties, 125
  - strength, Hf and Zr effects on, 193
- Molybdenum-tin-uranium alloys (irradiated), annealing, 151
  - swelling, 151, 164
- Molybdenum-titanium alloys, creep properties, nitriding effects on, 193
  - engineering properties, 125
  - hot rolling, 71
  - use in welding W, 145
- Molybdenum-titanium-uranium alloys, transformation, 14
- Molybdenum-titanium-zirconium alloys, corrosion, 124
- Molybdenum trioxide, corrosion, 183
- Molybdenum-tungsten alloys, corrosion, 124
  - engineering properties, 125
  - reaction with UC, 224
- Molybdenum-uranium alloy rods (Al-clad), fabrication, 82
- Molybdenum-uranium alloy rods (APM-clad), fabrication, 82
- Molybdenum-uranium alloys, creep, 15
  - deformation, 82, 212-13
  - extrusion, 140
  - fabrication, 258
  - isothermal decomposition, kinetics of, 151
  - mechanical properties, 212
  - oxidation, 152
  - properties, 150
  - rolling, 140
  - structure, 150
  - transformation, 14, 151, 213

- Molybdenum-uranium alloys (irradiated), annealing, 151
  - properties, 82
  - swelling, 151-2
- Molybdenum-uranium dioxide cermets, mechanical properties and preparation, 19
- Molybdenum-uranium dioxide dispersions, production, 219
- Molybdenum-uranium mononitride cermets, impactation, 90
- Molybdenum-uranium ternary alloys (irradiated), swelling, 100-1
- Molybdenum-uranium-zirconium alloys, properties and structure, 150
- Molybdenum-uranium-zirconium monocarbide solid-solution brazed joints, corrosion, 52-3
- Molybdenum-vanadium alloys, preparation of arc-melted buttons, 139
- Molybdenum-vanadium-zirconium alloys, corrosion, 48
- Molybdenum-zirconium alloys, creep properties, nitriding effects on, 193
  - engineering properties, 125
- Morganite, corrosion, 124-5
- Myclex, corrosion, 124-5
- Mykroy, corrosion, 124-5

## N

- NaK, corrosive effects on valves, 241
- Nb-752, diffusion bonding to Haynes 25, 144
  - welding, 144-5
- Neodymium dioxide-uranium dioxide system, 47
- Neodymium sheet, fabrication, 139
- Neodymium-thorium alloys, phase studies, 89
- Neptunium monocarbide-thorium monocarbide solid solutions, formation, 225
- Neutrons, dosage from irradiated Be and production in irradiated materials, 41
- Nichrome V, corrosion, pressure effects on, 120-1
  - oxidation, 181
- Nickel, corrosion, 124-5
  - crystallography, 16-17
  - diffusion bonding to Al and U, 202-3
  - diffusion in U, 81, 127
  - H and He permeability, 126-7
  - plating, on Al-U composites, 143
    - from Ni carbonyl vapor, 203
    - on Oralloy, 143
    - on U, 143, 260
  - self-diffusion, activation energy for, 246
  - solubility, in Be, 39-40
    - in Be binary alloys, 39
    - in Be foils, 39
    - in Hg, 183
  - stripping from U, 260
  - use for ceramic-to-metal seals, 144
- Nickel (irradiated), damage, 249-50
  - mechanical properties, 133
  - monovacancy-formation energy relation to melting point, 187
  - recovery of deformed, 249
- Nickel (wrought), corrosion film, 50
- Nickel alloy (TD)-molybdenum-titanium combinations, mass transfer of metallic constituents, 241
- Nickel alloy (TD)-niobium-zirconium combinations, mass transfer of metallic constituents, 241
- Nickel alloys, corrosion, 120-1
  - H and He permeability, 126-7
  - stress corrosion, 6
- Nickel alloys (330)(irradiated), mechanical properties, 133-4
- Nickel alloys (A), oxidation, 122
- Nickel alloys (brazed), corrosion, 50, 52
  - oxidation, 51

- Nickel alloys (irradiated), tensile properties, 189
- Nickel alloys (TD), corrosion, 239
- corrosion film, electrical resistance of, 50
- diffusion bonding, 205
- oxidation, 50-1, 121-2, 181
- welding, 205
- Nickel alloys (TD)(irradiated), tensile properties, 189
- Nickel (carbonyl) coatings, chemical vapor deposition, 73
- Nickel films (irradiated), properties, 129-30
- Nickel-niobium solid solutions, lattice parameters and paramagnetic susceptibility, 246
- Nickel-silicon-titanium system, corrosion, 239
- Nickel-thorium dioxide dispersions, oxidation, 121-2
- Nickel-thorium dioxide system, oxidation, 239
- Nickel-uranium alloys, diffusion in, 196
- transformation, 213
- Nickel-zirconium intermetallic compound-zirconium cells, electrochemical potentials, 49
- Nickel-zirconium intermetallic compounds, H overvoltage, 49
- Nimonic 75, explosive forming, 76
- Nimonic 90, explosive forming, 76
- microstructure of explosively formed, 77
- Nimonic alloys, explosive forming, 75
- Niobium, Be diffusion in, 110
- brazing, 144-5
- coatings for, 124
- compatibility, with Fz-Pu-U alloys, 214-15
- with molten Cs-Co-Pu alloys, 16
- with PuN, 88
- with  $\text{Pu}_2\text{O}_3$ , 153, 218
- with Pu-U alloys, 214-15
- corrosion, 126, 182
- creep, 125-6
- diffusion in U, 81, 127
- electroforming, 260
- engineering properties, 125
- fabrication, 126
- mechanical properties, effects of fabrication and microstructure on, 125
- metallurgy, 126
- physical properties, 126
- purification, 126
- reaction with steam, 243
- refining, 126
- solubility in molten Ca, 241
- tensile properties, 245
- thermodynamic stability of dissolved O in, 50
- vapor plating using metal-organic compounds, 204
- W diffusion in, 246-7
- welding, 145
- yield stress of flash-annealed, strain-rate effects on, 191, 193
- Niobium-95, diffusion in  $\text{UO}_2$ , 127
- Niobium (Pt-clad), oxidation, 239
- Niobium (Pt-Rh alloy-clad), oxidation, 239
- Niobium alloy tubing, fabrication, 71
- Niobium alloys, brazing, 206
- creep, 125-6
- engineering properties, 125
- fabrication, 201-2
- mechanical properties, effects of fabrication and microstructure on, 125
- phase diagrams of binary and ternary, 63
- welding, 204-5
- Niobium alloys (B-66), diffusion bonding, 144
- mechanical properties, 181
- oxidation, 181
- welding, 144-5
- Niobium alloys (canned), extrusion, 139
- Niobium alloys (Cr-Si-Ti system-coated), preparation, 74
- Niobium alloys (D-36), diffusion bonding, 144
- welding, 144-5
- Niobium alloys (D-43), diffusion bonding, 144
- Niobium alloys (D-43)(coated), mechanical properties and oxidation, 181
- Niobium alloys (F-48)(ceramic-coated), oxidation, 50
- Niobium alloys (FS-85), welding, 144-5
- Niobium alloys (irradiated), corrosion, 189
- Niobium alloys (Nb-752), diffusion bonding to Haynes 25, 144
- welding, 144-5
- Niobium beryllides, evaporation, 115
- oxidation, 233
- Seebeck coefficient, 115
- Niobium boride, phase studies, 128
- properties, 237
- Niobium carbide, phase studies, 128
- properties, 66
- thermodynamics, 197
- Niobium carbide powder, nitriding, 248
- Niobium carbide single crystals, plasticity, 248
- Niobium nitride powder, carburization, 248
- Niobium oxide, corrosion, 183
- Niobium oxide-tantalum oxide system, phase studies, 66
- Niobium oxide-tungsten oxide system, phase studies, 66
- Niobium quasibinary ( $\text{NbCr}_2\text{-Ni}_3\text{Nb}$ ) alloy, phase studies, 62
- Niobium-ruthenium alloys, phase studies, 62
- Niobium silicide, phase studies, 128
- Niobium single crystals, glide systems and work-hardening, 194
- Niobium-tantalum-tungsten alloy tubing, fabrication, 139
- Niobium-tantalum-tungsten alloys, creep, 125-6
- engineering properties, 125
- Niobium-tantalum-tungsten-zirconium alloys, creep, 125-6
- engineering properties, 125
- fabrication of sheet, 257
- welding, 262
- Niobium-tantalum-vanadium alloys, engineering properties, 125
- fabrication, 257
- melting, 257
- Niobium-tantalum-zirconium alloys, compatibility with UC, 163
- creep, 125-6
- engineering properties, 125
- Niobium-tellurium-zirconium alloys, corrosion, 48
- Niobium-thorium alloys, phase studies, 154
- Niobium-tin intermetallic compound wire (Nb-Zr alloy-clad), preparation, 72
- Niobium-titanium alloys, corrosion, 182
- preparation of arc-melted buttons, 139
- Niobium-titanium-uranium alloys, properties and structure, 150
- Niobium-titanium-vanadium alloy cladding, corrosion, 51-2
- development, 71
- preparation of arc-melted buttons, 139
- Niobium-titanium-vanadium alloys (silicide-coated), oxidation, 74
- Niobium-titanium-zirconium alloys, creep, 125-6
- engineering properties, 125
- Niobium-tungsten alloys, chemical vapor deposition and properties, 73
- corrosion, 124
- engineering alloys, 125
- tensile strength, 60-1
- Niobium-tungsten-vanadium-zirconium alloys, mechanical properties, effects of C on, 125
- Niobium-tungsten-zirconium alloys, creep, 125-6
- engineering properties, 125
- phase studies, 194
- welding, 262-3
- Niobium-tungsten-zirconium alloys (coated), oxidation, 240-1
- Niobium-uranium alloys, phase studies, 211-12
- properties, 150
- structure, 150
- Niobium-uranium alloys (irradiated), properties, 82
- Niobium-uranium-zirconium alloys, properties, 150
- reaction with water, 184
- structure, 150
- Niobium-uranium-zirconium carbide solid-solution brazed joints, corrosion, 52-3
- Niobium-vanadium alloy cladding, development, 71
- Niobium-vanadium alloy tubing, fabrication, 71
- Niobium-vanadium alloys, corrosion, 51-2
- creep, 125-6
- dispersion strengthening, 193-4
- engineering properties, 125
- preparation of arc-melted buttons, 139
- Niobium-zirconium alloy tubing, fabrication, 71
- Niobium-zirconium alloy-zirconium cells, electrochemical potentials, 49
- Niobium-zirconium alloys, brazing, 144
- compatibility, with Fz-Pu-U alloys, 214-15
- with UC, 163
- corrosion, 51-3, 119, 183
- creep, 125-6, 243-4
- engineering properties, 125
- H embrittlement, 195, 245
- H overvoltage, 49
- H pickup, 119
- impedance of oxide film on, 120
- metastable omega phase, 244-5
- pressure bonding to Be, 259
- Niobium-zirconium alloys (irradiated), elongation, 189
- impact properties, 134
- mechanical properties, 188
- yield strength, 189
- Niobium, corrosion, 180-1
- steam effects on, 180-1
- stress corrosion, 121
- Nitroguanidine, use in explosive forming of metals, 144
- Nondestructive testing, 78, 206-7
- defect size determination in ultrasonic inspection, 145-6
- Nonfuel materials, radiation effects, 53-60
- Nonmetallic coatings, development, 74
- Nonmetals, diffusion in, 195
- Nuclear detectors, track registration in solid-state, 186
- Nuclear poisons, metallic, 45
- nonmetallic, 45-7
- Oralloy (Ni-plated), preparation, 143
- Osmium-uranium alloys, phase studies, 150
- Oxide ceramics, brittle behavior, 247
- development, 20
- pressure bonding, 141
- vapor depositions, 142-3
- Oxide fuel particles (coated)(irradiated), properties, 20-3
- Oxide powders, compaction, vibratory, 142
- Oxides, neutron absorption, 45
- preparation of high-compressive-strength, 249
- Oxygen-plutonium system, 216
- phase studies, 17
- Oxygen-Zircaloy-2 system, oxidation, 179
- Oxygen-zirconium system, H solubility in, 174-5



## P

- Palladium, diffusion, in Ag, 127, 247  
in Cu, 127, 247  
self-diffusion, 127, 247  
use, in brazing Nb to  $Al_2O_3$ , 144  
in brazing W-metallized  $Al_2O_3$  to Nb-Zr alloy, 144
- Panels, explosive forming of honeycomb, 261
- Particles, compaction, vibratory, 142
- Particles (coated)(irradiated), properties of U-based, 32
- Peach Bottom Power Reactor, coated particle fuel, 91
- Paudler coating, emittance, 74
- Platinum, corrosion, 124-5  
H and He permeability, 126-7  
oxidation, 239  
self-diffusion, activation energy for, 246  
Platinum (irradiated), monovacancy-formation energy relation to melting point, 187  
Platinum alloys, He and H permeability, 126-7  
Platinum-rhodium alloys, oxidation, 239  
Platinum, compatibility with metals, 14  
cracking, 15  
creep, 152  
crystallography, 15-16  
diffusion in Mg, 127-8  
electrorefining, 143  
flat rolling, 83  
ignition temperature, 215-16  
neutron diffraction analysis, 16  
oxidation, moisture effects on, 85  
phase transformation, 15, 83, 85, 152  
reaction with Pr, 16  
solubility, in La, 16  
in Mg, 127-8  
in Pr, 16  
thermal expansion, 15-16  
veining, 15  
Plutonium (molten), Ta solubility in, 213  
Plutonium (self-irradiated), annealing and electrical resistivity, 101  
Plutonium-239, diffusion in sintered  $UO_2$ , 96  
thermal expansion, 15-16  
Plutonium alloys (irradiated), properties, 101  
Plutonium aluminide single crystals, transformation, 85  
Plutonium arsenide, preparation, 88  
Plutonium carbide, properties, 17  
Plutonium carbide-uranium carbide powder, vibratory compaction, 259  
Plutonium carbide-uranium carbide system, hardness, 88  
properties, 153  
Plutonium dioxide, activation energy, 216  
compatibility with austenitic S.S., Mo, and W, 87  
corrosion, 124  
diffusion in  $PuO_2-UO_2$  system, 87  
dissolution, in  $HNO_3$ , 216, 218  
in  $SiO_2$ , 216  
in sulfuric acid, 216, 218  
halogen removal, 86  
melting, 86  
oxidation, 17  
preparation, 17  
reduction, 17  
thermal expansivity, 216  
volatility, 17  
Plutonium dioxide (self-irradiated), damage, 218  
Plutonium dioxide (sintered), density, 87  
Plutonium dioxide particles, voids, 216  
Plutonium dioxide powder, densification, 17  
sintering, 153, 216  
Plutonium dioxide-stainless-steel(302B) cermet, preparation, 90  
Plutonium dioxide-stainless-steel(304) dispersions, preparation, 89  
Plutonium dioxide-thorium dioxide system, lattice parameters, 86  
Plutonium dioxide-uranium dioxide mixtures (irradiated), properties, 17  
Plutonium dioxide-uranium dioxide powder, densification, 17, 260  
fabrication into fuel, 258-9  
sintering, 153  
Plutonium dioxide-uranium dioxide system, corrosion, 87, 124  
decontamination in codeposition, 143  
density, 224  
electrical resistivity, 153  
 $PuO_2$  diffusion in, 87  
segregation, 86-7  
swaging, 72  
thermodynamics, 87  
Plutonium dioxide-uranium dioxide system (canned), impactation, 141  
Plutonium dioxide-uranium dioxide system, (irradiated), fission-gas release, 87  
properties, 154  
thermal conductivity, 154  
Plutonium dioxide-uranium dioxide system (Zircaloy-clad), corrosion, 119  
failure, 119  
swage compacting, 202  
Plutonium dioxide-zirconium dioxide system, structure, 86  
Plutonium monocarbide, evaluation, 17  
preparation, 17  
sintering, 153  
thermal coefficient of linear expansion, 153  
volatility, 218  
Plutonium monocarbide (irradiated), fission-gas release, 153  
fracture, 153  
properties, 17  
Plutonium monocarbide (self-irradiated), lattice-parameter increase, 218  
Plutonium monocarbide-tantalum monocarbide system, melting, 18  
Plutonium monocarbide-tantalum compacts, reactions, 88  
Plutonium monocarbide-tantalum system, maximum temperature limit, 218  
Plutonium monocarbide-thorium monocarbide solid solutions, formation, 225  
Plutonium monocarbide-uranium monocarbide mixtures, properties, 17  
Plutonium monocarbide-uranium monocarbide pins (S.S.-clad)(irradiated), 30  
Plutonium monocarbide-uranium monocarbide solid solutions, preparation, 218  
Plutonium monocarbide-uranium monocarbide solid solutions (irradiated), properties, 17  
Plutonium monocarbide-uranium monocarbide system, evaluation, 17  
O solubility in, 88  
phase studies, 88  
preparation, 17  
Plutonium monocarbide-uranium monocarbide system (irradiated), diametral change, 88  
Plutonium monocarbide-zirconium monocarbide system, phase studies, 88  
Plutonium mononitride, compatibility with metals, 88  
heat effects, 88  
heat of reaction, 218  
oxidation, 18  
stability, 18  
Plutonium mononitride (self-irradiated), damage, 218  
Plutonium mononitride-plutonium dioxide system, sintering, 154  
Plutonium mononitride-tungsten cermet, heat-transfer effects, 88  
Plutonium mononitride-uranium mononitride solid solutions, 218  
Plutonium mononitride-uranium mononitride system, phase studies, 88  
solid-solution formation, 154  
Plutonium monophosphide, preparation, 88  
Plutonium monosilicide, 16  
Plutonium monosulfide, preparation, 88  
Plutonium monoxide, melting point, 17  
Plutonium nitride, properties, 30  
reactions with metals and alloys, 218  
Plutonium nitride-uranium nitride system, compatibility with S.S. 304 and hardness, 88  
Plutonium oxide, activation energy, 216  
microstructure, 17  
thermodynamics of  $PuO_{2-x}$ , 87  
Plutonium-plutonium mononitride cermet, compatibility with  $Al_2O_3$ , 88  
heat effects, 90  
Plutonium-scandium alloys, density and phase studies, 153  
Plutonium sesquicarbide, volatility, 218  
Plutonium sesquicarbide (self-irradiated), damage, 218  
Plutonium sesquicarbide-uranium sesquicarbide system, evaluation, 17  
phase studies, 88  
preparation, 17  
Plutonium sesquioxide, compatibility with metals, 153, 218  
preparation, 17  
volatility, 17  
Plutonium silicide, 16  
Plutonium-silicon system, eutectic reactions, 16  
Plutonium solid solutions (irradiated), properties, 87  
Plutonium sulfide, properties, 30  
Plutonium-thorium-uranium alloys, phase studies, 154  
Plutonium-uranium alloys, compatibility, with Nb, 214-15  
with V, 215  
corrosion, 215  
heat content, 214  
heat of fusion, 214  
heat of transformation, 214  
melting, 214  
solid transformation, 214  
Plutonium-yttrium alloys, phase studies, 213-14  
Plutonium-zirconium alloys (irradiated), dissolution in irradiated  $UO_2$  and oxidation, 153-4  
Plutonium-zirconium alloys, (Zircaloy-clad), rolling, 72  
Poisons, 118, 177-8  
development of glasses, 47  
metallic, 45  
nonmetallic, 45-7  
Polymers (irradiated), fission tracks, 55  
Potassium (molten), corrosive effects, 51, 182-3  
Potassium aluminate, formation, 183  
Potassium oxide-silicon dioxide-sodium oxide glass ( $UO_2$ -fueled), density, thermal expansion, and  $UO_2$  solubility, 97  
Powders, pressure bonding, 141  
vibratory compaction of oxide, 142  
Praseodymium, Pu solubility in and reaction with Pu, 16  
Praseodymium sheet, fabrication, 139  
Praseodymium-thorium alloys, hardness, 89  
phase studies, 89, 154  
Premabraz, 130  
brazing applications, 263  
Presses, temperature-sensing instruments for extrusion, 201  
Protactinium, diffusion in porous graphite and PyC, 94  
Pyrolytic carbon  
See Carbon (pyrolytic)  
Pyrolytic graphite  
See Graphite (pyrolytic)

## R

R-27, corrosion, pressure effects on, 120-1  
 Radiation effects, cascade theory, 56, 186  
 displacement processes, 56  
 dynamics, 187  
 integral equations, 186-7  
 mechanical properties, 56-60  
 nonfuel materials, 53-60  
 symposium, 132  
 theory, 55-6, 131-2, 252-3  
 thermal distribution around damage spike, 187

Reactors, temperature measurement using ultrasonic techniques, 264  
 Refractories

See also Alloys (refractory), Ceramics (refractory), Metals (refractory)

boride compounds, 177  
 fiber formation by chemical vapor deposition, 204  
 mechanical properties of coated alloys, 181  
 thermal stability of ceramic, 196  
 thermodynamics, 197

René 41, brazing, 144

Rhenium, containment properties, 128  
 creep, 125  
 reaction, with steam, 243  
 with UC, 29-30

Rhenium coatings, chemical deposition, 73  
 vapor deposition, 142

Rhenium oxide, thermodynamics, 197

Rhenium-tungsten alloy tubing, production, 71, 202

Rhenium-tungsten alloys, containment properties, 128  
 corrosion, 124  
 creep, 125  
 engineering properties, 125  
 extrusion, 257  
 fabrication, 202  
 reaction with UC, 30  
 Rhenium-tungsten alloys (irradiated), corrosion, 189  
 creep-rupture properties, 253  
 test results, 191

Rhodium-thorium alloys, phase studies, 218

Ruthenium-thorium alloys, phase studies, 218

## S

Salts (fused), lubricant for Y-tubing production, 139

Sapphire, corrosion, 124-5

mechanical behavior, 248

Savannah River Plant, S.S. 304 stress corrosion, 2-3

Scandium sheet, fabrication, 139

Scandium-yttrium alloys, phase studies, 61

Scandium-zirconium alloys, phase studies, 61

Selenium-thorium systems, phase studies, 154

Semiconductors (irradiated), annealing, impurity effects on, 53  
 damage, 253

Shippingport Pressurized-Water Reactor, pressure bonding of fuel, 140  
 S.S. 304 stress corrosion in steam generator, 3, 5-6

UO<sub>2</sub>-ZrO<sub>2</sub> fuel wafer fabrication, 97-8

Silicide coatings, effects on mechanical properties of Nb alloys, 181  
 formation using fluidized-bed method, 204  
 oxidation, 181

Silicide (pack) coatings, oxidation protection properties, 74

Silicide (refractory metal) coatings, vapor deposition on refractory metals, 143

Silicon, corrosion, 52  
 vapor plating using metal-organic compounds, 204

Silicon (irradiated), fission tracks, 55

Silicon bronze (A), corrosion, 121

Silicon carbide, pyrolytic synthesis, 142

vapor deposition of filaments, 261

Silicon dioxide, corrosion, 183

preparation by vapor deposition, 261

PuO<sub>2</sub> dissolution in, 216

Silicon dioxide (irradiated), stresses, 23  
 Silicon monocarbide, barrier to U migration into PyC, 19

Silicon monocarbide (irradiated), stresses, 23

Silicon monoxide, thermodynamics, 197

Silicon oxide (sintered), strength, 66

Silicon oxide (slip-cast fused), sintering, 66

Silicon-uranium system, transformation, 213

Silicon-uranium system (irradiated), properties, 82

Silver, corrosion, 124-5

Pd diffusion in, 127, 247

plating on U, 143

wetting of Be, 75

Silver (irradiated), annealing, 185

monovacancy-formation energy relation to melting point, 187

Silver-107 crystals (irradiated), transmutation effects, 250

Silver films (irradiated), properties, 129-30

SI-1, reaction with steam, 242

SNAP-10A/2/8 reactor, liquid-metal technology, 184

Sodium (molten), corrosive effects, 51-2, 124, 181-2, 184

Solids, diffusion in, 195-6

shock waves in, 262

Solids (irradiated), damage, 56

properties, 132

transmutation effects in crystalline, 250-1  
 vacancies, 187

Soot

See also Carbon and Graphite

accumulation on particles, 220-1

Special Power Excursion Reactor Tests-I, excursion, 184-5

Special Power Excursion Reactor Tests-ID, fuel-water reaction, 31

Spinel, corrosion, 52

Stainless steel, chloride deposition on, 122

Cl deposition on, 180

compatibility with UC, 163

corrosion, 120-1, 180

Cs deposition on, 180

explosive forming, 75-7

reaction, with UN, 100

with water, 226

stress corrosion, 49

stress-corrosion prevention, 4-6

tensile properties, 58-60

ultrasonic detection of surface strain, 264  
 welding, 204

Stainless steel (17-4 PH), corrosion, pressure effects on, 120-1

stress corrosion in Dresden reactor, 4

Stainless steel (18-8), microstructure of explosively formed, 77

Stainless steel (302), oxidation, 50

Stainless steel (304), compatibility, with B carbide, 237

with Fz-Pu-U alloys, 214-15

with Pu<sub>0.2</sub>N-U<sub>0.8</sub>N system, 88

corrosion, 121-2

diffusion bonding to W, 247

failure, carburization-induced, 241

oxidation, 49

pressure bonding, 140-1

reaction, with PuN-UN solid solutions, 218  
 with UO<sub>2</sub>, 29

stress corrosion, 121-2

in HRT, 2

in PWR steam generator, 3, 5-6

in Savannah River Plant, 2-3

in VBWR, 3

stress-corrosion cracking, 50, 180

KMnO<sub>4</sub>-NaOH solution effects on, 49

Stainless steel (304)(irradiated), corrosion, 130  
 cracking, 180

tensile properties, 188

Stainless steel (304)(vacuum melt), stress corrosion, 121

Stainless steel (304L), corrosion, 120-2, 180  
 cracking, 182

pressure bonding, 140-1

Stainless steel (308), stress corrosion, 121

Stainless steel (310), corrosion, 180-1

steam effects on, 180-1

stress corrosion, 121

Stainless steel (316), corrosion, 122, 181-2

pressure bonding to Be, 259

stress corrosion, 121

stress-corrosion cracking, KMnO<sub>4</sub>-NaOH solution effects on, 49

welding, 75

Stainless steel (316L), corrosion, 120-2

filler-metal applications in welding, 204

Stainless steel (321), corrosion, 52

explosive bonding to K-Monel, 261

explosive forming, 261

Stainless steel (347), corrosion, 50, 52

pressure bonding, 140-1

stress corrosion, 2-3, 121

welding, 75

Stainless steel (347)(irradiated), fatigue, 133

Stainless-steel (347) cladding properties, 73

Stainless steel (348)(irradiated), tensile properties, 188

Stainless steel (406), corrosion, 120-1, 180-1  
 steam effects on, 180-1

Stainless steel (410)(irradiated), tensile properties, 188

Stainless steel (430), compatibility with B carbide, 237

corrosion, pressure effects on, 120-1

Stainless steel (430 boron), properties, 177

Stainless steel (446), corrosion, 120-1, 180

Stainless steel (A-286)(irradiated), creep, 133  
 stress-rupture properties, 253-4

Stainless steel (AM-350SS)(irradiated), tensile properties, 188

Stainless steel (austenitic), compatibility with PuO<sub>2</sub>, 87

corrosion, 122

stress corrosion, 1-11

Stainless steel (austenitic)(irradiated),

mechanical properties, 187-8, 253

tensile properties, 132-3

Stainless steel (boron)(irradiated), properties, 177

Stainless steel (irradiated), mechanical properties, 132

stress-corrosion cracking, 49

structure, 132

tensile properties, 58, 60

Stainless-steel foil, production, 72

Stainless-steel tubing (irradiated), stress-rupture properties, 60

Stainless-steel-uranium dioxide cermets, preparation, 90

Stainless-steel-uranium dioxide dispersions, defects in structure and mechanical testing, 18

Stainless-steel (347)-uranium dioxide dispersions, (S.S. 347-clad)(irradiated), stability, 89-90

Stainless-steel (304)-uranium dispersions (irradiated), volume change, 219

Stainless-steel-Zircaloy-2 joints (irradiated), damage, 188-9

Stationary Low Power Plant No. 1, core-water reaction, 31

excursion, 184-5

Steam generators, S.S. 304 stress corrosion in PWR, 3, 5-6

S.S.(austenitic) stress corrosion in HRE-2, 11

- Steel, corrosion, 181-2  
 embrittlement, 143  
 explosive welding, 262  
 H and He permeability, 126-7  
 radiation resistance, 253  
 welding, 74-5
- Steel (454), corrosion, 124
- Steel (458), corrosion, 124
- Steel (4130), compatibility with B carbide, 237  
 embrittlement, 143  
 explosive forming, 261
- Steel (4330), explosive bonding to Ta-W alloys, 262
- Steel (A-212 carbon), corrosion, 121
- Steel (A-212B)(irradiated), embrittlement, annealing effects on, 253  
 impact properties, 132
- Steel (A-302B)(irradiated), embrittlement, annealing effects on, 253  
 impact properties, 132
- Steel (A-350-LFI (modified)(irradiated), embrittlement, annealing effects on, 253
- Steel (alloy), explosive forming, 75
- Steel (austenitic)(irradiated), lattice constant increase, 54
- Steel (carbon), corrosion, 180  
 pretreatment with Hg, 184  
 stress corrosion, 6
- Steel (carbon)(Hastelloy-clad), explosive bonding, 262
- Steel (carbon)(Stellite-clad), explosive bonding, 262
- Steel (carbon, Zr pretreated), corrosion, 53
- Steel (Cr-Mo), corrosion, 181-2
- Steel (Cr-Mo-Ti), corrosion, 181-2
- Steel (CrNi-189)(irradiated), damage, 253
- Steel (ferritic), corrosion, 124
- Steel (ferritic)(irradiated), lattice constant increase, 54
- Steel (HY-150), toughness and weldability, 74
- Steel (irradiated), mechanical properties, 188
- Steel (low-alloy), corrosion, 180, 183  
 stress corrosion, 6
- Steel (low-alloy)(irradiated), properties, 132, 253
- Steel (low-carbon), explosive forming, 144
- Steel (low-carbon)(irradiated), mechanical properties, 253
- Steel (maraging), welding, 74-5
- Steel (martensitic), corrosion, 183
- Steel (mild), Cs and Cl deposition on, 180  
 explosive forming, 75-7
- Steel (mild)(irradiated), hardening, 132  
 mechanical properties, 187
- Steel (MnSi)(irradiated), damage, 253
- Steel (carbon) foils (irradiated), defects, 54
- Stellites, corrosion, 51
- Strontium, phase diagram at high pressures, 195
- Strontium (irradiated), monovacancy-formation energy relation to melting point, 187
- Strontium hydride, phase studies, 115-16
- Strontium titanate (irradiated), split interstitial configuration, 251
- Structural materials, diffusion, 126-8  
 mechanical properties, 60-1, 125-6, 191-4  
 metallurgy, 61-6, 126, 194-5
- Submarine Thermal Reactor (Mark I), S.S. 347  
 stress corrosion in, 3
- Superalloys, coatings for, 74
- Superheat fuels, corrosion, 49-50
- compatibility, with molten Cs-Co-Pu alloys, 16  
 with PuN, 88  
 with  $\text{Pu}_2\text{O}_3$ , 153, 218  
 with UC, 163
- corrosion, 53, 124-5, 183
- creep, 125
- electroforming, 260
- engineering properties, 125
- hardness, 64
- mechanical properties, effects of fabrication and microstructure on, 125  
 reaction with steam, 243  
 solubility in molten Pu, 213  
 strength, C addition effects on, 245  
 stress-rupture properties, 63-4  
 vapor plating using metal-organic compounds, 204  
 welding, 145
- Tantalum alloys, coatings for, 124  
 development, 193  
 engineering properties, 125  
 mechanical properties, effects of fabrication and microstructure on, 125  
 phase diagrams of binary and ternary, 63  
 strength, C addition effects on, 245
- Tantalum alloys (canned), extrusion, 139
- Tantalum alloys (irradiated), corrosion, 189
- Tantalum alloys (silicide-coated), development, 261  
 preparation by vapor deposition, 143
- Tantalum carbide, properties, 66
- Tantalum coatings, vapor deposition, 142
- Tantalum crystals, discontinuous yielding, 126
- Tantalum diboride, properties, 237
- Tantalum monocarbide powder, nitriding, 248
- Tantalum monocarbide-tungsten system, engineering properties, 125
- Tantalum mononitride powder, carburization, 248
- Tantalum pentoxide, corrosion, 183
- Tantalum tungsten alloys, compatibility with molten Cs-Co-Pu alloys, 16  
 corrosion, 124  
 creep, 125  
 engineering properties, 125  
 explosive bonding to steel (4330), 262  
 hot rolling, 71  
 ingot preparation, 201-2
- Tantalum-tungsten-zirconium alloys, phase studies, 245-6
- Tetryl, use in explosive forming of metals, 144
- Thorium, compatibility, with metals, 14  
 with  $\text{Pu}_2\text{O}_3$ , 218  
 diffusion, in porous graphite, 94  
 in PyC, 94, 222  
 dispersion hardening, 88  
 electropolishing, 154  
 grain size, mechanical work effects on, 218  
 oxide removal from, 218  
 reduction, 139  
 transformation lowering, Pu effects on, 154  
 twinning, 154  
 work hardening, 18
- Thorium (irradiated), monovacancy-formation energy relation to melting point, 187  
 properties, 101
- Thorium alloys, properties and structure, 150, 213
- Thorium beryllide, reaction pressing, 42
- Thorium beryllide-uranium beryllide system, reaction pressing, 42
- Thorium beryllide-uranium beryllide system (irradiated), stability, 233
- Thorium dicarbide, 30  
 free energy of formation, 163  
 melting point, 224  
 transformation, 224
- Thorium dicarbide-uranium dicarbide particles (PyC-coated), fuel preparation for Peach Bottom Power Reactor, 91
- reaction with steam, 170
- U migration, 160, 162
- Thorium dicarbide-uranium dicarbide particles (PyC-coated)(irradiated), coating cracking, 159  
 fission-gas release, 20-1  
 properties, 92-3
- Thorium dicarbide-uranium dicarbide solid solutions, melting point, 224
- Thorium dioxide, corrosion, 183  
 electrodeposition on Al, 260
- Thorium dioxide compacts (reinforced), oxidation, 19  
 preparation, 18-19  
 properties, 19  
 thermal conductivity, 19
- Thorium dioxide crystals (irradiated), activation energy and Xe diffusion, 227
- Thorium dioxide particles, attrition, 90  
 density of compacted, 260
- Thorium dioxide particles ( $\text{Al}_2\text{O}_3$ -coated), attrition, 90
- Thorium dioxide-tungsten system, engineering properties, 125
- Thorium dioxide-uranium dioxide ceramics (irradiated),  $^{135}\text{Xe}$  release, 102
- Thorium dioxide-uranium dioxide compacts (reinforced), brazing, 19  
 preparation, 18-19
- Thorium dioxide-uranium dioxide compacts (reinforced) (irradiated), heat transfer, 19
- Thorium dioxide-uranium dioxide system, 47
- Thorium monocarbide, free energy of formation, 163  
 homogeneity, 163  
 thermal conductivity, 30
- Thorium monocarbide-uranium monocarbide particles (C-coated), coating failure, 93
- Thorium monocarbide-uranium monocarbide solid solutions, formation, 225
- Thorium monosulfide, thermal conductivity, 224
- Thorium nitride, properties, 30
- Thorium oxide, removal from Th, 218
- Thorium oxide-uranium oxide system, density of compacted, 141-2
- Thorium oxide-yttrium oxide solid solutions (irradiated),  $^{135}\text{Xe}$  release, 227
- Thorium sesquicarbide, phase studies, 30
- Thorium sulfide, properties, 30
- Thorium-thorium dioxide system, hardness, 154
- Thorium-thorium monocarbide-uranium system, phase studies, 99
- Thorium-titanium alloys, phase studies, 154
- Thorium trialuminide, transformation, 89
- Thorium-uranium alloys, mechanical properties, 18  
 phase studies, 154
- Thorium-uranium alloys (irradiated), properties, 101
- Thorium-uranium-zirconium alloys, extrusion, 218  
 hardness, 155, 218  
 phase studies, 154  
 strength, Al and Be effects on, 88-9  
 stress-rupture properties, 88
- Thorium-uranium-zirconium alloys (Zircaloy-2-clad)(irradiated), volume change, 154-5
- Thorium-vanadium alloys, phase studies, 154
- Thorium-zirconium alloys, phase studies, 154
- Titanium, addition to boiling Hg, 183-4  
 atomic force constant, 65  
 C addition distribution, 65-6  
 crystallography, 16-17  
 Debye temperature, 65  
 electronic term, 65  
 explosive bonding to Al alloys (6061), 261-2  
 explosive forming, 75-7  
 melting, 201  
 Mo diffusion in, 127  
 O diffusion in, 127

Titanium (Continued)  
 phase transformation, 65  
 self-diffusion, 127  
 solubility in Be, Be binary alloys, and Be foils, 39  
 specific heat, low-temperature, 65  
 temperature effects on, 244  
<sup>44</sup>Ti diffusion in, 127  
 use in diffusion bonding Nb-752 to Haynes 25, 144  
 V diffusion in, 127  
<sup>46</sup>V diffusion in, 127  
 vapor plating using metal-organic compounds, 204  
 Zr diffusion in, 127  
 Titanium (I.C.I. 130), explosive forming, 76  
 Titanium (irradiated), neutron production, 41  
 Titanium-44, diffusion in Ti, 127  
 Titanium alloys, C addition distribution, 65-6  
 explosive forming, 75, 77  
 explosive welding, 262  
 mechanical properties, Zr addition effects on, 245  
 metastable constitution, 244  
 Titanium carbide, fiber formation by vapor deposition, 204  
 filament formation by vapor deposition, 261  
 properties, 66  
 thermal conductivity, 248  
 Titanium diboride, properties, 237  
 pyrolytic synthesis, 142  
 Titanium dioxide, corrosion, 183  
 preparation by vapor deposition, 261  
 Titanium monocarbide powder, nitriding, 248  
 Titanium monocarbide single crystals, plasticity, 248  
 Titanium mononitride powder, carburization, 248  
 Titanium monoxide, thermodynamics, 197  
 Thorium nitride, thermal conductivity, 248  
 Titanium-uranium-zirconium alloys, properties and structure, 150  
 Titanium-vanadium alloys, compatibility with Fz-Pu-U alloys, 153, 214-15  
 corrosion, 182  
 preparation of arc-melted buttons, 139  
 Tin-yttrium alloys, phase studies, 195  
 Transient Reactor Test Facility, metal-water reactions, 31  
 Triplex coatings, development, 158  
 Tubing, electromagnetic inspection, 264-5  
 Tungsten, brazing, 145  
 coatings for, 126  
 compatibility, with PuN, 88  
 with PuO<sub>2</sub>, 87  
 with Pu<sub>2</sub>O<sub>3</sub>, 153  
 with UC, 163  
 consolidation, 126  
 corrosion, 124-5  
 creep, 125  
 deformation of sintered, 38  
 deposition of, 260  
 diffusion in Nb, 246-7  
 diffusion bonding to S.S. 304, 247  
 electrodeposition, 260  
 engineering properties, 125  
 extrusion, 257  
 fabrication, 257  
 fibering, 126  
 joining, 126  
 mechanical properties, effects of fabrication and microstructure on, 125  
 oxidation, 126  
 physical metallurgy, 126  
 preparation, 126  
 properties, 126  
 reaction with steam, 243  
 reactions, 126  
 refractory metal joining using vapor-deposited, 142  
 self-diffusion, activation energy for, 246

solubility in Hg, 183  
 vapor deposition, 142, 203-4  
 vapor plating using metal-organic compounds, 204  
 welding, 75, 145  
 working, 126  
 Tungsten (doped), engineering properties, 125  
 Tungsten (HfN-coated), C diffusion in, 74  
 Tungsten (HfO<sub>2</sub>-coated), preparation, 74  
 Tungsten (irradiated), <sup>41</sup>Ar range in, 128  
 channeling effects, 55  
 creep, 134  
 creep-rupture properties, 59-60, 253  
 damage, 249  
 stress rupture, 134  
 test results, 191  
<sup>135</sup>Xe range in, 128  
 Tungsten (Mo-coated), preparation and properties, 73  
 Tungsten (pyrolytic), tensile properties, 260  
 Tungsten (re-coated), preparation, 73  
 Tungsten (silicide-coated), development, 261  
 preparation by vapor deposition, 143  
 Tungsten (sintered), creep and stress-rupture properties, 63  
 Tungsten (W-coated), preparation and properties, 73  
 Tungsten (ZrO<sub>2</sub>-coated), preparation, 74  
 Tungsten alloy rocket nozzles, fabrication and performance, 126  
 Tungsten alloys, 125-6  
 fabrication, 257  
 phase diagrams of binary and ternary, 63  
 Tungsten alloys (canned), extrusion, 139  
 Tungsten alloys (silicide-coated), development, 261  
 Tungsten boride, phase studies, 128  
 Tungsten carbide, phase studies, 128  
 properties, 66  
 thermodynamics, 197  
 Tungsten coatings, vapor deposition, 73, 142  
 Tungsten crystals, growth from vapor, 142  
 Tungsten dioxide, corrosion, 183  
 Tungsten foil, production, 72  
 Tungsten sheet, mechanical properties, 60  
 Tungsten silicide, phase studies, 128  
 Tungsten single crystals (irradiated), channeling of heavy ions, 186  
 Tungsten trioxide, corrosion, 183  
 Tungsten trioxide (irradiated), <sup>85</sup>Kr range in, 128-9  
 Tungsten tubing, extrusion, 202  
 formation by vapor deposition, 142  
 production, 71  
 Tungsten-tungsten joints, pressure bonding and properties, 73  
 Tungsten-uranium dioxide cermets, creep-rupture testing, 157  
 mechanical properties, 19  
 preparation, 19  
 Tungsten-uranium dioxide (W-coated) cermets, electrical resistivity and thermal conductivity, 90  
 Tungsten-uranium dioxide cermets (irradiated), stability, 219  
 Tungsten-uranium dioxide dispersions, fabrication, 157  
 production, 219  
 properties, 157  
 Tungsten-uranium monocarbide system, creep, 99  
 Tungsten-uranium mononitride cermets (irradiated), fission-gas release and reactions in, 219  
 Tungsten-uranium monosulfide system, corrosion, 52  
 TZM, brazing, 206  
 corrosion, 124  
 hot rolling, 71  
 reduction, 202  
 welding, 205

TZM (irradiated), corrosion, 189  
 test results, 191

## U

Ultrahigh-Temperature Reactor Experiment, PyC-coated fuel, 19  
 Ultrasonic inspection, defect size determination, 145-6  
 development, 206-7  
 Uranium, casting of fine-grained, 211  
 chemistry, melting effects on, 72  
 Co diffusion in, 81, 127  
 compatibility with metals, 14  
 corrosion, 152  
 Cr diffusion in, 81, 127  
 creep, 14  
 crystallography, 14  
 Cu diffusion in, 81, 127  
 diffusion, in Be, 172  
 in Mg, 127-8  
 in porous graphite, 94  
 in PyC, 94  
 in pyrolytic graphite, 159-60  
 in self-bonding, 203  
 diffusion bonding to Al and Ni, 202-3  
 dislocation networks, 101  
 drilling, 139-40  
 electron-beam melting, 72  
 fabrication, 201, 258  
 Fe diffusion in, 81, 127  
 friction with mill rolls, 139  
 heat capacity, 82  
 heat-treatment, 81  
 internal friction, 149  
 microstructure, 149  
 migration into PyC, SiC barrier to, 19  
 Mn diffusion in, 81, 127  
 Nb diffusion in, 81, 127  
 Ni diffusion in, 81, 127  
 oxidation, by CO<sub>2</sub>, 100  
 Cu effects on, 164  
 plasticity, 149-50  
 plating with Ni, 260  
 residual stresses, 149  
 self-diffusion, 127  
 solubility in Mg, 127-8  
 surface tension at melting point, 150  
 tensile fracture, 149  
 tensile properties, P effects on, 81-2  
 texture, 14  
 thermodynamics, 197  
 ultrasonic inspection, 264  
<sup>135</sup>Xe diffusion in, 14  
 Young's modulus, 149  
 Uranium (Ag-plated), preparation, 143  
 Uranium (irradiated), annealing, 101, 151, 211  
 density, 211  
 dimensional changes, 164-5  
 ejection by fission fragments, 32  
 electrical resistivity, 164-5  
 growth, 14  
 He behavior in, 101, 150  
 properties, 32, 82, 101  
 stability, 149  
 swelling, 101, 151, 211  
 swelling during annealing, 32  
<sup>135</sup>Xe diffusion in, 101  
 Uranium (molten), compatibility with V, 215  
 N solubility in, 100  
 Uranium (Ni-plated), preparation, 143  
 stripping of Ni from, 260  
 Uranium (Zn-plated), porosity and preparation, 143  
 Uranium-235, fission-fragment interaction with metals, 129  
 Uranium alloys, corrosion, 152  
 cracking, quenching effects on, 213  
 diffusion, 149  
 phase studies, 149



- Uranium alloys (Continued)  
 properties, 149-50, 213  
 structure, 150, 213  
 tempering, impurity effects on, 213  
 Uranium alloys (irradiated), He behavior in, 101, 150  
 properties, 32, 82, 101  
 Uranium beryllide, reaction pressing, 42  
 Uranium carbide, creep, plastic deformation, and vapor pressure, 99  
 Uranium carbide (irradiated), damage in cast, 227  
 properties, 30, 32  
 Uranium carbide (Nb-Zr alloy-clad)(irradiated), properties, 99  
 Uranium carbide (S.S.-clad)(irradiated), dimensional changes and microstructure, 30  
 Uranium carbide (W-coated), diffusion-emission testing, 204  
 Uranium carbide ( $UC_{2-x}$ ) compacts, microstructure, 72  
 Uranium carbide particles, metallographic examination, 90-1  
 Uranium carbide particles (coated), metallographic examination, 90-1  
 Uranium carbide particles (PyC-coated), preparation and properties, 91  
 Uranium carbide ( $UC_{2-x}$ ) powder, 72  
 Uranium crystals, creep, 211  
 Uranium dicarbide, heat capacity, 30  
 heat of transformation, 30  
 melting point, 224  
 reaction with Zr, 163  
 reduction, 30  
 stability, 29  
 transformation, 30, 224  
 Uranium dicarbide particles (C-coated), coating failure, heating effects on, 93-4  
 Uranium dicarbide particles (irradiated), fission-product release during annealing, 30  
 Uranium dicarbide particles (PyC-coated), coating thickness, optimum, 159  
 crushing strength, 220  
 physical properties, 169  
 preparation, 91  
 reaction with steam, 222  
 surface area, 19-20  
 U migration, 160, 162  
 Uranium dicarbide particles (PyC-coated) (irradiated), coating failure, 221  
 damage, 159  
 fission-gas release, 20-3, 158-9  
 metallographic examination, 23-7  
 properties, 92-3  
 Uranium dicarbide particles (PyC, SiC-coated), U migration into PyC, 19  
 Uranium dicarbide particles (PyC, SiC-coated) (irradiated), properties, 19  
 Uranium dicarbide-zirconium dicarbide particles (PyC-coated)(irradiated), properties, 92-3  
 Uranium dioxide, absorption spectra, 96  
 B<sub>2</sub>C addition, 45  
 canning, 203  
 corrosion, 124  
 creep formation of nonstoichiometric, 95-6  
 electrical conductivity, 29  
 enthalpy, 95  
 grain growth, 97, 162  
 He solubility in, 162  
 magnetic properties at low temperature, 162  
 N diffusion in, 162  
<sup>235</sup>Nb diffusion in, 127  
 oxidation, 97  
 phase identification, 157  
 preparation from UF<sub>6</sub> in fluidized bed, 204  
 production, by pneumatic impaction, 224  
 by reductive precipitation, 224  
<sup>238</sup>Pu diffusion in sintered, 96  
 reaction with S.S. 304, 29  
<sup>228</sup>Rn emanation and diffusion in, 96-7  
 swaging, 140  
 thermal conductivity, 95  
 thermal expansion, 95  
 thermoelectric power, 29  
 U-atom ejection by fission fragments, 223  
 Uranium dioxide ( $Al_2O_3$ -clad), interaction, 241  
 Uranium dioxide (APM-clad), development, 258  
 Uranium dioxide (Be-clad), fabrication, 231  
 Uranium dioxide (BeO-clad), interaction, 241  
 Uranium dioxide (clad), ultrasonic inspection, 264  
 Uranium dioxide (Inconel X-clad), pressure bonding, 73  
 Uranium dioxide (irradiated), annealing effects, 29  
 collision sequences, 129, 165  
 fission-fragment tracks, 32  
 fission-gas release, 32-3, 102, 223  
 fission-product behavior and effects, 165  
 focused-collision sequences, 129  
 He solubility in, 102  
<sup>135</sup>I release, 223  
 properties, Nb<sub>2</sub>O<sub>5</sub> and TiO<sub>2</sub> effects on, 96  
 Pu-Zr alloy dissolution in, irradiated, 153-4  
 recrystallization at high temperature, 223  
 thermal conductivity, 29, 165-6  
 Xe release, 162, 227  
 Uranium dioxide (Mo-clad), interaction, 241  
 Uranium dioxide (Ni-clad)(irradiated), thermal conductivity, 223  
 Uranium dioxide (S.S.-clad), hot extrusion, 258  
 pressure bonding, 73  
 Uranium dioxide (S.S. 304-clad), reaction with water, 184  
 Uranium dioxide (ThO<sub>2</sub>-clad), interaction, 241  
 Uranium dioxide (W-clad), interaction, 241  
 Uranium dioxide (Y<sub>2</sub>O<sub>3</sub>-clad), interaction, 241  
 Uranium dioxide (Zircaloy-clad)(irradiated), contact thermal conductance, 223  
 Uranium dioxide (Zircaloy-2-clad), reaction with water, 184  
 Uranium dioxide particles ( $Al_2O_3$ -coated), oxidation, 94  
 Uranium dioxide particles ( $Al_2O_3$ -coated)(irradiated), coating failure, 20  
 coating integrity, 92, 221  
 damage, 158  
 fission-gas release, 20-2  
 Uranium dioxide particles ( $Al_2O_3$ , PyC-coated), preparation, 20  
 Uranium dioxide particles ( $Al_2O_3$ , PyC-coated) (irradiated), coating integrity, 91-2  
 fission-gas release, 20-2  
 Uranium dioxide particles (BeO-coated), development, 91, 158  
 oxidation, 94  
 properties of coating, 20  
 Uranium dioxide particles (BeO-coated)(irradiated), coating failure, 92  
 Uranium dioxide particles (BeO, PyC-coated), preparation and properties, 91  
 Uranium dioxide particles (BeO, PyC-coated) (irradiated), fission-gas release, 20, 22  
 Uranium dioxide particles (MgO-coated), oxidation, 94  
 Uranium dioxide particles (Mo-coated), preparation and properties, 90  
 Uranium dioxide particles (PyC-coated), preparation, 91  
 Uranium dioxide particles (PyC-coated)(irradiated), coating integrity, 221  
 damage, 158  
 Uranium dioxide particles (S.S.-canned), compaction, 141  
 Uranium dioxide pellets, characterization, 97  
 fabrication, 97  
 production by sintering, 224  
 Uranium dioxide pellets (APM-clad), magnetic-pulse swaging, 72-3  
 Uranium dioxide plates, fabrication, 97  
 Uranium dioxide powder, characterization, 97  
 compaction, 29, 141-2, 162, 203  
 extrusion, 162  
 impaction, 29  
 sintering, 97, 224  
 Uranium dioxide powder (fused), impaction, 29  
 swaging, 72  
 Uranium dioxide rods, fabrication, 29  
 Uranium dioxide shot (BeO-coated), preparation, 221  
 Uranium dioxide shot (BeO-coated)(irradiated), fission-gas retention and grain-growth inhibition, 221  
 Uranium dioxide single crystals, infrared absorption, 29  
 Uranium dioxide single crystals (irradiated), damage, 55, 165  
 defects, 32, 102  
 fission-gas release, 165  
 fission tracks, 186  
 microscopy, transmission electron, 165  
 Uranium dioxide-yttrium oxide solid solutions (irradiated), <sup>135</sup>Xe release, 227  
 Uranium dioxide-zirconium dioxide solid solutions (irradiated), <sup>135</sup>Xe diffusion coefficient and release, 33  
 Uranium dioxide-zirconium dioxide system (Ni-clad)(irradiated), thermal conductivity, 223  
 Uranium dioxide-zirconium dioxide wafers, fabrication of PWR fuel, 97-8  
 Uranium dispersions (irradiated), properties, 32  
 Uranium monocarbide, addition to graphite-NbC and graphite-ZrC mixtures, 29  
 compatibility with metals and alloys, 163  
 dislocations, 163  
 electrical resistivity, 30  
 fabrication, 163-4  
 formation by vapor deposition, 142  
 microscopy, transmission electron, 163  
 normal spectral emittance, 30  
 preparation, 30  
 reaction, with Ir, 29-30  
 with Mo-W alloys, 224  
 with Re, 29-30  
 with Re-W alloy, 30  
 with Zr, 163  
 thermal conductivity, 30  
 total hemispherical emittance, 30  
 UO solubility in, 96  
 Uranium monocarbide (irradiated), damage, 163  
 properties, 224  
 thermal conductivity, 163  
 U redistribution, 163  
<sup>135</sup>Xe diffusion in, 102  
 Uranium monocarbide (Nb-clad)(irradiated), Nb-UC reaction, 30  
 Uranium monocarbide (S.S.-clad)(irradiated), 30  
 Uranium monocarbide compacts, microstructure, 72  
 Uranium monocarbide powder, 72  
 Uranium monocarbide-uranium monosulfide system, solid solutions, 99  
 Uranium monocarbide-zirconium monocarbide particles (PyC-coated), diffusion into coating, 160  
 Uranium monocarbide-zirconium monocarbide system, reactions with Nb, Ta, and W, 99  
 Uranium mononitride, reactions with Al, S.S., and Zr, 100  
 Uranium mononitride (hot-pressed), 30-1  
 stability, 100  
 Uranium monosulfide, thermal conductivity, 224  
 Uranium monosulfide (irradiated), properties, 224  
 Uranium monoxide, solubility in UC, 98  
 thermodynamics, 197

Uranium nitride, properties, 30  
 Uranium nitride (irradiated), properties, 30, 32  
 Uranium octoxide, magnetic properties at low temperatures, 162  
 Uranium oxide, magnetic properties at low temperatures, 162  
   thermodynamics, 197, 223  
   volatility, 223  
 Uranium oxide (irradiated), properties, 32  
 Uranium oxide particles (ZrC-coated), preparation, 90  
 Uranium oxysulfide, electrodeposition, 143  
 Uranium particles (PyC-coated), preparation, 91  
 Uranium sesquicarbide, reduction, 30  
   thermal expansion, 99  
 Uranium sheet, texture of rolled, 14  
 Uranium silicide (irradiated), properties, 30  
 Uranium single crystals, deformation, 211  
 Uranium sulfide, properties, 30  
 Uranium tetraaluminide, identification, 157  
 Uranium trialuminide, identification, 157  
 Uranium-zirconium alloys, properties and structure, 150  
 Uranium-zirconium alloys (hydrided), 234  
 Uranium-zirconium alloys (irradiated), properties, 82  
 U.S.S. *Nautilus*, S.S. 347 stress corrosion, 3

## V

Vallecitos Boiling-Water Reactor, Inconel X  
   fuel-cladding corrosion, 50  
   S.S. 304 stress corrosion, 3  
   S.S. 347 fuel-cladding corrosion, 50  
 Vallecitos Superheat Reactor, corrosion of Incoloy, Inconel, and Inconel X, 49  
 Valves, corrosion by Li and NaK, 241  
 Vanadium, compatibility, with Fe-Pu-U alloys, 153, 214-15  
   with molten U, 215  
   with  $\text{Pu}_2\text{O}_3$ , 153, 218  
   with Pu-U alloys, 215  
   corrosion, 182  
   diffusion, 246  
   in Ti, 127  
   electrodeposition, 260  
 Vanadium-48, diffusion in Ti and V, 127  
 Vanadium (Ni-plated)(S.S. 304-clad), extrusion, 140  
 Vanadium (S.S. 304-clad), extrusion, 140  
   fabrication, 259  
 Vanadium alloys, dispersion strengthening, 193-4  
 Vanadium alloys (silicide-coated), development, 261  
 Vanadium carbide, properties, 66  
 Vanadium crystals,  $^{51}\text{V}$  diffusion in, 127  
 Vanadium pentoxide, corrosion, 183  
 Vanadium-zirconium alloys, oxidation, 238  
 Vanadium-zirconium intermetallic compound-zirconium cells, electrochemical potentials, 49  
 Vanadium-zirconium intermetallic compounds, H overvoltage, 49  
 Vapor deposition (chemical), development, 73  
 Vibratory compaction, densities of spherical shapes produced by, 259-60

## W

Welding, review, 203

## X

X-110 tubing, fabrication, 71

## Y

Yttrium, plasticity, 139  
   pressure-temperature phase diagram, 61  
   solubility in Be, Be binary alloys, and Be foils, 39  
 Yttrium (glass-coated), oxidation, 204  
 Yttrium hydride,  $N_H$  and thermal stability, 43  
 Yttrium oxide, corrosion, 52  
 Yttrium oxide-zirconium dioxide systems, solid solutions, 128  
 Yttrium sheet, fabrication, 139  
 Yttrium tubing, lubricants for production of, 139

## Z

Zinc, plating on U, 143  
 Zircaloy, cleaning for pressure bonding, 202  
   F pickup and release, 179  
   hydriding effects, 175  
 Zircaloy cladding, corrosion, 119  
   failure, 119  
   hydriding, 48  
 Zircaloy-2, Cl deposition on, 180  
   compatibility with UC, 163  
   corrosion, 48, 119, 179, 238  
   Cs deposition on, 180  
   fretting, 238  
   H embrittlement, 245  
   H pickup, 119, 238  
   hydriding effects, 175  
   impact effects, 238  
   impedance of oxide film on, 120  
   oxidation, pressure effects on, 120  
   stress corrosion, 121  
   tensile properties, 56-7  
   ultrasonic measurement of surface hydride, 284  
 Zircaloy-2 (hydrided), H in, quantitative estimation of, 234  
 Zircaloy-2 (irradiated), corrosion, 48, 119, 179  
   creep, 134  
   H pickup, 119  
   impact properties, 134  
   tensile properties, 188  
 Zircaloy-2 (O-bearing), oxidation, 120  
 Zircaloy-2 cladding (irradiated), tensile properties, 56-7  
 Zircaloy-2 sheet, creep properties, 61  
 Zircaloy-2 tubing, nondestructive testing, 207  
 Zircaloy-2 tubing (irradiated), tensile properties, 56, 189  
 Zircaloy-4, corrosion, 179, 238  
   H absorption, 179, 238  
   impedance of oxide film on, 120  
   stress corrosion, 121  
 Zirconium, addition to boiling Hg, 183-4  
   atomic force constant, 65  
   C-addition distribution, 65-6  
   Debye temperature, 65  
   deformation twinning, 195  
   diffusion in Ti, 127  
   dispersion strengthening, 195  
   electrodeposition, 260  
   electronic term, 65  
   H diffusion in, 127  
   H embrittlement, 245  
   H overvoltage, 49  
   He diffusion and precipitation in, 127  
   hydriding, 42  
   impedance of oxide film on, 119-20  
    $^{95}\text{Zr}$  diffusion in, 127  
   oxidation, 238  
   phase transformation, 65  
   physical metallurgy, 195  
   purification, 140  
   reaction, with UC, 163  
     with  $\text{UC}_2$ , 163  
     with water, 226  
     with Zr, 100  
   self-diffusion, activation energy for, 246  
   solubility in Be, Be binary alloys, and Be foils, 39  
   specific heat, low-temperature, 65  
   temperature effects on, 244  
   vapor plating using metal-organic compounds, 204  
    $^{95}\text{Zr}$  diffusion in, 127  
 Zirconium-95, diffusion in Zr, 127  
 Zirconium (irradiated), properties, 253  
 Zirconium alloys, C-addition distribution, 65-6  
   corrosion, 179-80, 238  
   D pickup, 48  
   H uptake, 238  
   metastable constitution, 244  
   oxidation, 179  
   physical metallurgy, 195  
   properties, 150, 213  
   steam effects on, 238  
   strengthening using carbide and oxide dispersants, 245  
   structure, 150, 213  
 Zirconium alloys (irradiated), mechanical properties, 253  
 Zirconium beryllide, Al solubility in, 42  
   evaporation, 115  
   mechanical properties, effects of Al, Ni, and Ti additions on, 42  
   oxidation, 233  
   Seebeck coefficient, 115  
 Zirconium boride, kinetics and thermodynamics, 128  
 Zirconium carbide, kinetics, 128  
   mechanical properties, 66, 196  
   physical properties, 66  
   thermal properties, 196, 248  
   thermodynamics, 66, 128  
 Zirconium coatings, vapor deposition, 142  
 Zirconium deuteride, free energy of formation, heat of combustion, and heat of formation, 42  
 Zirconium diboride, properties, 237  
 Zirconium dioxide, corrosion, 183  
   elasticity, 128, 196  
   preparation by vapor deposition, 261  
   thermal diffusivity, 196  
   thermal expansion, 196  
   thermal properties, 128  
 Zirconium dioxide (irradiated), damage recovery, 129  
   phase transformation, 129  
   stresses, 23  
 Zirconium dioxide coatings, plasma spraying, 74  
   properties, 74  
   vapor deposition on graphite, 143  
 Zirconium films, oxidation, 48-9  
 Zirconium hydride, compounds formed by, 234  
   free energy of formation, 42  
   heat of combustion, 42  
   heat of formation, 42  
    $N_H$ , 43  
   thermal stability, 43  
 Zirconium intermetallic compounds, H overvoltage, 49  
 Zirconium monocarbide powder, nitriding, 248  
 Zirconium monocarbide single crystals, plasticity, 248  
 Zirconium mononitride powder, carburization, 248  
 Zirconium monoxide, thermodynamics, 197  
 Zirconium oxide films, capacitance, impedance, and resistance, 119  
 Zirconium-zirconium intermetallic compound cells, electrochemical potentials, 49

3  
e

65-6

8-

na -

15.

234

240

on.

9